

## **Site visit inspection report on compliance with HTA minimum standards**

### **Blackpool Fylde and Wyre Hospitals NHS Foundation Trust**

**HTA licensing number 12133**

#### **Licensed for the**

- **Procurement and distribution of human tissues and cells for human application under the Human Tissue (Quality and Safety for Human Application) Regulations 2007**

**12 June 2012**

#### **Summary of inspection findings**

Blackpool Fylde and Wyre Hospitals NHS Foundation Trust (the establishment) was selected to receive a themed inspection. The themes selected for 2012/13 include quality management, contingency planning and risk management.

In addition to these themes an additional theme covering facilities and equipment was also reviewed during the inspection.

The establishment was found to have met all HTA standards relating to each theme.

The HTA previously found the Designated Individual and the Licence Holder, to be suitable in accordance with the requirements of the legislation. Their suitability was not re-assessed during this inspection.

Particular examples of good practice are included in the concluding comments section of the report.

## The HTA's regulatory requirements

The HTA must assure itself that the Designated Individual, Licence Holder, premises and practices are suitable.

The statutory duties of the Designated Individual are set down in Paragraph 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. The HTA inspects the establishments it licences against four groups of standards:

- consent
- governance and quality systems
- premises facilities and equipment
- disposal.

However, a themed inspection may be carried out on establishments which have been found previously to represent a lower risk. Themes target standards which the HTA has identified as common shortfalls across the human application sector in 2011. The themes selected for 2012/13 are quality management, contingency planning and risk management. Prior to the inspection it was decided that it would be appropriate to include an additional theme of facilities and equipment which would look at areas and equipment used for the harvesting of donor cells.

Themes	HTA Standards
<b>Quality management</b>	
Standard operating procedures for licensed activity	GQ1(b)
Document control system	GQ1(d)
Quality Management System – continuous and systematic improvement	GQ2(a)-(c)
Internal audit system for licensable activities	
<b>Contingency Planning</b>	
Plan to ensure records of traceability are maintained for 10 or 30 years as required.	GQ4(m)
<b>Risk Management</b>	
Procedures for the identification, reporting, investigation and recording of adverse events and reactions	GQ7
Risk assessments	GQ8

Traceability	GQ6
<b>Facilities and Equipment</b>	
Procedures for cleaning of procurement equipment and procurement area	PFE2
Consumables and records storage location and access	PFE5
Maintenance, validation, user training and contingency plan procedures for procurement equipment	PFE5

In addition to the standards listed above, the HTA will follow-up on any other issues that have arisen since the establishment's last inspection.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that a standard is not met, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is given to the DI.

Reports of HTA inspections carried out from 1 November 2010 are published on the HTA's website.

### **Licensable activities carried out by the establishment**

'E' = Establishment is licensed to carry out this activity.

'TPA' = Third party agreement; the establishment is licensed for this activity but another establishment (unlicensed) carries out the activity on their behalf.

<b>Tissue type</b>	<b>Procurement</b>	<b>Processing</b>	<b>Testing</b>	<b>Storage</b>	<b>Distribution</b>	<b>Import</b>	<b>Export</b>
<b>PBSC</b>	<b>E</b>				<b>E</b>		

### **Background to the establishment and description of inspection activities undertaken**

Blackpool Fylde and Wyre Hospitals NHS Foundation Trust ('the establishment') undertakes the procurement of Haematopoietic Progenitor Cells, specifically peripheral blood stem cells (PBSCs), and distribution of the procured cells to another HTA licensed establishment. The establishment does not undertake the following activities under HTA licence 12133: testing, processing, storage, distribution to end-users, import or export.

Consent for donation of cells is sought by clinical staff as part of the initial consultation with patients. Blood samples for the mandatory donor serological tests are taken at the establishment and transferred to other licensed premises for analysis. Similarly, harvested cells are transferred to other licensed premises where they are processed and stored awaiting a request from the establishment to have the cells returned for end use.

Two previous site visit inspections have been carried out at the establishment, most recently on 30 June 2010. This last routine inspection covered the licensable activities of procurement and distribution and was carried out approximately two years after the previous site visit inspection, as required under the Human Tissue (Quality and Safety for Human Application) Regulations 2007. The establishment has been included in a project piloting

themed inspections, focusing on quality management, contingency planning, risk management and facilities and equipment.

During the inspection, interviews were held with members of staff working under the HTA licence and included the stem cell Program Director, staff who undertake procurement, the establishment's quality manager and the Designated Individual. A visual inspection of the premises was undertaken and documents relating to activities under the licence were also reviewed. It was noted that the establishment had acted on advice given at the last inspection and had made a number of improvements to practices and associated documents.

A traceability audit was also undertaken using three sets of clinical notes for patients who had donated cells and had them transplanted. In all three cases, records of consent, mandatory serological testing results and unique identifiers of the cells that had been returned for transplantation were present in the patient notes. No anomalies relating to traceability were found during the audit. In one set of clinical notes, the documentation for receipt of cells had not been fully completed in accordance with the establishment's procedures. Although this did not affect traceability, advice has been given to the Designated Individual.

### **Inspection findings**

The HTA found the Designated Individual and the Licence Holder to be suitable in accordance with the requirements of the legislation.

### **Compliance with HTA standards**

All applicable HTA standards have been assessed as fully met.

### **Advice**

The HTA advises the DI to consider the following to further improve practices:

No.	Standard	Advice
1.	GQ2(b)	During the traceability audit, an example of the documentation used to track cell delivery at the establishment had not been completed. The establishment's procedures describe that, upon delivery, the temperature logger monitoring the temperature of the cells during transport should be checked to determine if the alarm is functioning correctly for deviations from the required temperature range. In this example, there was no signature of the receiving member of staff to indicate that this check had been undertaken. The DI is advised to include the delivery documentation in the establishment's schedule of internal audits to assure himself that this is an isolated incident. If not an isolated incident, then corrective and preventative actions should be identified and implemented in accordance with the establishment's normal audit procedures.
2.	GQ2(c)	Twenty three months ago, the establishment underwent a commissioned audit, which was undertaken by external staff in an independent manner. The DI is advised to develop and implement a procedure so that further independent audits to verify compliance with protocols and HTA standards are undertaken every two years. The results of these audits must be documented including any corrective and preventative actions identified.
3.	PFE3(a)	The establishment has put a system in place to monitor the storage temperature of stored consumables (ACD) that will come into contact with the donated cells

		<p>as part of the cell procurement procedure. The system of temperature monitoring takes a single time point each day but does not include weekends or holidays. The establishment has however used these temperature records to determine that the storage location did reach the maximum storage temperature permitted for the storage of reagents such as ACD. The establishment is in the process of installing air conditioning to the storage room to ensure that the temperature is within defined limits.</p> <p>The DI is advised to develop a system where the maximum and minimum temperature of the storage room is monitored and recorded as this will allow staff to assure themselves that the storage temperature has not deviated from the defined acceptable range.</p>
4.	PFE4(f)	<p>Following the last inspection the establishment received advice to put in place a third party agreement (TPA) with the company used to transport cells from the establishment for processing and storage. The TPA is now in place and covers the transportation activity. The DI is advised to amend the TPA so that it clearly defines the transport company's responsibility to report any adverse events during transport to the establishment's Designated Individual.</p>

### **Concluding comments**

During the inspection the advice given following the previous inspection and evidence that it had been acted upon was reviewed. The establishment has acted on all advice given and also has made improvements to other processes and practices undertaken at the establishment.

The establishment has also introduced a system where all required documentation relating to stem cell transplant has been defined and a separate filling area within patient notes has now been reserved for these. Currently, the establishment reviews every set of clinical notes for patients who have undergone stem cell transplantation to ensure that the required documents relating to traceability of the cells and consent are filled appropriately. This is considered good practice and helps the Designated Individual to assure himself that the establishment's procedures are being followed correctly.

The HTA has assessed the establishment as suitable to be licensed for the activities specified.

**Report sent to DI for factual accuracy: 5 July 2012**

**Report returned from DI: 6 July 2012**

**Final report issued: 6 July 2012**

## Appendix 1: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment have been excluded.

### Human Tissue (Quality and Safety for Human Application) Regulations 2007 Standards

#### Consent

Standard
C1 Consent is obtained in accordance with the requirements of the HT Act 2004, the Human Tissue (Quality and Safety for Human Application) Regulations 2007 and as set out in the HTA's Codes of Practice.
a) If the establishment acts as a procurer of tissues and / or cells, there is an established process for acquiring donor consent which meets the requirements of the HT Act 2004 the Human Tissue (Quality and Safety for Human Application) Regulations 2007 (Q&S Regulations) and the HTA's Codes of Practice
b) If there is a third party procuring tissues and / or cells on behalf of the establishment the third party agreement ensures that consent is obtained in accordance with the requirements of the HT Act 2004, the Q&S Regulations and the HTA's Codes of Practice.
c) The establishment or the third party's procedure on obtaining donor consent includes how potential donors are identified and who is able to take consent.
d) Consent forms comply with the HTA Codes of Practice.
e) Completed consent forms are included in records and are made accessible to those using or releasing tissue and / or cells for a Scheduled Purpose.
C2 Information about the consent process is provided and in a variety of formats.
a) The procedure on obtaining consent details what information will be provided to donors. As a minimum, the information specified by Directions 003/2010 is included.
b) If third parties act as procurers of tissues and / or cells, the third party agreement details what information will be provided to donors. As a minimum, the information specified by Directions 003/2010 is included.
c) Information is available in suitable formats and there is access to independent interpreters when required.
d) There are procedures to ensure that information is provided to the donor or donor's family by trained personnel.
C3 Staff involved in seeking consent receive training and support in the implications and essential requirements of taking consent.
a) Staff involved in obtaining consent are provided with training on how to take informed consent in accordance with the requirements of the HT Act 2004 and Code of Practice on Consent.
b) Training records are kept demonstrating attendance at training on consent.

## Governance and Quality

Standard
GQ1 All aspects of the establishment's work are supported by ratified documented policies and procedures as part of the overall governance process.
a) There is an organisational chart clearly defining the lines of accountability and reporting relationships.
b) There are procedures for all licensable activities that ensure integrity of tissue and / or cells and minimise the risk of contamination.
c) There are regular governance meetings, for example health and safety, risk management and clinical governance committees, which are recorded by agendas and minutes.
d) There is a document control system to ensure that changes to documents are reviewed, approved, dated and documented by an authorised person and only current documents are in use.
e) There are procedures for tissue and / or cell procurement, which ensure the safety of living donors.
f) There are procedures for tissue and / or cell procurement, which ensure the dignity of deceased donors.
g) There are procedures to ensure that an authorised person verifies that tissues and / or cells received by the establishment meet required specifications.
h) There are procedures for the management and quarantine of non-conforming consignments or those with incomplete test results, to ensure no risk of cross contamination.
i) There are procedures to ensure tissues and / or cells are not released from quarantine until verification has been completed and recorded.
j) There are procedures detailing the critical materials and reagents used and where applicable, materials and reagents meet the standards laid down by the European directives on medical devices and in vitro diagnostic medical devices.
k) There is a procedure for handling returned products.
l) There are procedures to ensure that in the event of termination of activities for whatever reason, stored tissues and / or cells are transferred to another licensed establishment or establishments.
m) The criteria for allocating tissues and / or cells to patients and health care institutions are documented and made available to these parties on request.
n) The establishment ensures imports from non EEA states meet the standards of quality and safety set out in Directions 003/2010.
o) There is a complaints system in place.
p) There are written agreements with third parties whenever an activity takes place that has the potential to influence the quality and safety of human tissues and / or cells.
q) There is a record of agreements established with third parties.
r) Third party agreements specify the responsibilities of the third party and meet the requirements set out in Directions 003/2010.

s) Third party agreements specify that the third party will inform the establishment in the event of a serious adverse reaction or event.
t) There are procedures for the re-provision of service in an emergency.
<b>GQ2 There is a documented system of quality management and audit.</b>
a) There is a quality management system which ensures continuous and systematic improvement.
b) There is an internal audit system for all licensable activities.
c) An audit is conducted in an independent manner at least every two years to verify compliance with protocols and HTA standards, and any findings and corrective actions are documented.
d) Processes affecting the quality and safety of tissues and / or cells are validated and undergo regular evaluation to ensure they continue to achieve the intended results.
<b>GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills.</b>
a) There are clearly documented job descriptions for all staff.
b) There are orientation and induction programmes for new staff.
c) There are continuous professional development (CPD) plans for staff and attendance at training is recorded.
d) There is annual documented mandatory training (e.g. health and safety and fire).
e) Personnel are trained in all tasks relevant to their work and their competence is recorded.
f) There is a documented training programme that ensures that staff have adequate knowledge of the scientific and ethical principles relevant to their work, and the regulatory context.
g) There is a documented training programme that ensures that staff understand the organisational structure and the quality systems used within the establishment.
h) There is a system of staff appraisal.
i) Where appropriate, staff are registered with a professional or statutory body.
j) There are training and reference manuals available.
k) The establishment is sufficiently staffed to carry out its activities.
<b>GQ4 There is a systematic and planned approach to the management of records.</b>
a) There are procedures for the creation, identification, maintenance, access, amendment, retention and destruction of records.
b) There is a system for the regular audit of records and their content to check for completeness, legibility and accuracy and to resolve any discrepancies found.
c) Written records are legible and indelible. Records kept in other formats such as computerised records are stored on a validated system.
d) There is a system for back-up / recovery in the event of loss of computerised records.



e) The establishment keeps a register of the types and quantities of tissues and / or cells that are procured, tested, preserved, processed, stored and distributed or otherwise disposed of, and on the origin and destination of tissues and cells intended for human application.
f) There are procedures to ensure that donor documentation, as specified by Directions 003/2010, is collected and maintained.
g) There is a system to ensure records are secure and that donor confidentiality is maintained in accordance with Directions 003/2010.
h) Raw data which are critical to the safety and quality of tissues and cells are kept for 10 years after the use, expiry date or disposal of tissues and / or cells.
i) The minimum data to ensure traceability from donor to recipient as required by Directions 003/2010 are kept for 30 years after the use, expiry or disposal of tissues and / or cells.
j) Records are kept of products and material coming into contact with the tissues and / or cells.
k) There are documented agreements with end users to ensure they record and store the data required by Directions 003/2010.
l) The establishment records the acceptance or rejection of tissue and / or cells that it receives and in the case of rejection why this rejection occurred.
m) In the event of termination of activities of the establishment a contingency plan to ensure records of traceability are maintained for 10 or 30 years as required.
<b>GQ5 There are documented procedures for donor selection and exclusion, including donor criteria.</b>
a) Donors are selected either by the establishment or the third party acting on its behalf in accordance with the criteria required by Directions 003/2010.
b) The testing of donors by the establishment or a third party on behalf of the establishment is carried out in accordance with the requirements of Directions 003/2010.
c) In cases other than autologous donors, donor selection is carried out by authorised personnel and signed and reviewed by a qualified health professional.
d) There is a system in place either at the establishment or at a third party acting on its behalf to record results of donor selection and associated tests.
e) Testing of donor samples is carried out using CE marked diagnostic tests.
f) Samples taken for donor testing are clearly labelled with the time and place the sample was taken and a unique donor identification code.
<b>GQ6 A coding and records system facilitates traceability of tissues and / or cells, ensuring a robust audit trail.</b>
a) There is a donor identification system which assigns a unique code to each donation and to each of the products associated with it.
b) An audit trail is maintained, which includes details of when the tissues and / or cells were acquired and from where, the uses to which the tissues and / or cells were put, when the tissues and / or cells were transferred elsewhere and to whom.
c) The establishment has procedures to ensure that tissues and / or cells imported, procured,

processed, stored, distributed and exported are traceable from donor to recipient and vice versa.
<b>GQ7</b> There are systems to ensure that all adverse events, reactions and/or incidents are investigated promptly.
a) There are procedures for the identification, reporting, investigation and recording of adverse events and reactions, including documentation of any corrective or preventative actions.
b) There is a system to receive and distribute national and local information (e.g. HTA regulatory alerts) and notify the HTA and other establishments as necessary of serious adverse events or reactions.
c) The responsibilities of personnel investigating adverse events and reactions are clearly defined.
d) There are procedures to identify and decide the fate of tissues and / or cells affected by an adverse event, reaction or deviation from the required quality and safety standards.
e) In the event of a recall, there are personnel authorised within the establishment to assess the need for a recall and if appropriate initiate and coordinate a recall.
f) There is an effective, documented recall procedure which includes a description of responsibilities and actions to be taken in the event of a recall including notification of the HTA and pre-defined times in which actions must be taken.
g) Establishments distributing tissue and / or cells provide information to end users on how to report a serious adverse event or reaction and have agreements with them specifying that they will report these events or reactions.
h) Establishments distributing tissues and / or cells have systems to receive notifications of serious adverse events and reactions from end users and notify the HTA.
<b>GQ8</b> Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately.
a) There are documented risk assessments for all practices and processes.
b) Risk assessments are reviewed regularly, as a minimum annually or when any changes are made that may affect the quality and safety of tissues and cells.
c) Staff can access risk assessments and are made aware of local hazards at training.
d) A documented risk assessment is carried out to decide the fate of any tissue and / or cells stored prior to the introduction of a new donor selection criteria or a new processing step, which enhances the quality and safety of tissue and / or cells.

### **Premises, Facilities and Equipment**

<b>Standard</b>
<b>PFE1</b> The premises are fit for purpose.
a) A risk assessment has been carried out of the premises to ensure that they are fit for purpose.
b) There are procedures to review and maintain the safety of staff, visitors and patients.
c) The premises have sufficient space for procedures to be carried out safely and efficiently.

d) Where appropriate, there are procedures to ensure that the premises are of a standard that ensures the dignity of deceased persons.
e) There are procedures to ensure that the premises are secure and confidentiality is maintained.
f) There is access to a nominated, registered medical practitioner and / or a scientific advisor to provide advice and oversee the establishment's medical and scientific activities.
<b>PFE2 Environmental controls are in place to avoid potential contamination.</b>
a) Tissues and / or cells stored in quarantine are stored separately from tissue and / or cells that have been released from quarantine.
b) Where processing of tissues and / or cells involves exposure to the environment, it occurs in an appropriate, monitored environment as required by Directions 003/2010.
c) There are procedures for cleaning and decontamination.
d) Staff are provided with appropriate protective clothing and equipment that minimise the risk of contamination of tissue and / or cells and the risk of infection to themselves.
<b>PFE3 There are appropriate facilities for the storage of tissues and / or cells, consumables and records.</b>
a) Tissues, cells, consumables and records are stored in secure environments and precautions are taken to minimise risk of damage, theft or contamination.
b) There are systems to deal with emergencies on a 24 hour basis.
c) Tissues and / or cells are stored in controlled, monitored and recorded conditions that maintain tissue and / or cell integrity.
d) There is a documented, specified maximum storage period for tissues and / or cells.
<b>PFE4 Systems are in place to protect the quality and integrity of tissues and / or cells during transport and delivery to its destination.</b>
a) There is a system to ensure tissue and / or cells are not distributed until they meet the standards laid down by Directions 003/2010.
b) There are procedures for the transport of tissues and / or cells which reflect identified risks associated with transport.
c) There is a system to ensure that traceability of tissues and / or cells is maintained during transport.
d) Records are kept of transportation and delivery.
e) Tissues and / or cells are packaged and transported in a manner and under conditions that minimise the risk of contamination and ensure their safety and quality.
f) There are third party agreements with courier or transport companies to ensure that any specific transport conditions required are maintained.
g) Critical transport conditions required to maintain the properties of tissue and / or cells are defined and documented.
h) Packaging and containers used for transportation are validated to ensure they are fit for purpose.

i) Primary packaging containing tissues and / or cells is labelled with the information required by Directions.
j) Shipping packaging containing tissues and / or cells is labelled with the information required by Directions.
<b>PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored.</b>
a) Critical equipment and technical devices are identified, validated, regularly inspected and records are maintained.
b) Critical equipment is maintained and serviced in accordance with the manufacturer's instructions.
c) Equipment affecting critical processes and storage parameters is identified and monitored to detect malfunctions and defects and procedures are in place to take any corrective actions.
d) New and repaired equipment is validated before use and this is documented.
e) There are documented agreements with maintenance companies.
f) Cleaning, disinfection and sanitation of critical equipment is performed regularly and this is recorded.
g) Instruments and devices used for procurement are sterile, validated and regularly maintained.
h) Users have access to instructions for equipment and receive training in the use of equipment and maintenance where appropriate.
i) Staff are aware of how to report an equipment problem.
j) For each critical process, the materials, equipment and personnel are identified and documented.
k) There are contingency plans for equipment failure.

## Disposal

<b>Standard</b>
<b>D1 There is a clear and sensitive policy for disposing of tissues and / or cells.</b>
a) The disposal policy complies with HTA's Codes of Practice.
b) The disposal procedure complies with Health and Safety recommendations.
c) There is a documented procedure on disposal which ensures that there is no cross contamination.
<b>D2 The reasons for disposal and the methods used are carefully documented.</b>
a) There is a procedure for tracking the disposal of tissue and / or cells that details the method and reason for disposal.
b) Disposal arrangements reflect (where applicable) the consent given for disposal.

## Appendix 2: Classification of the level of shortfall (HA)

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the HT Act or associated Directions.

### 1. Critical shortfall:

A shortfall which poses a significant direct risk of causing harm to a recipient patient or to a living donor,

*Or*

A number of 'major' shortfalls, none of which is critical on its own, but viewed cumulatively represent a systemic failure and therefore are considered 'critical'.

A critical shortfall may result in one or more of the following:

- (1) A notice of proposal being issued to revoke the licence
- (2) Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- (3) A notice of suspension of licensable activities
- (4) Additional conditions being proposed
- (5) Directions being issued requiring specific action to be taken straightaway

### 2. Major shortfall:

A non-critical shortfall.

A shortfall in the carrying out of licensable activities which poses an indirect risk to the safety of a donor or a recipient

*or*

A shortfall in the establishment's quality and safety procedures which poses an indirect risk to the safety of a donor or a recipient;

*or*

A shortfall which indicates a major deviation from the **Human Tissue (Quality and Safety for Human Application) Regulations 2007** or the **HTA Directions**;

*or*

A shortfall which indicates a failure to carry out satisfactory procedures for the release of tissues and cells or a failure on the part of the designated individual to fulfil his or her legal duties;

*or*

A combination of several 'minor' shortfalls, none of which is major on its own, but which, viewed cumulatively, could constitute a major shortfall by adversely affecting the quality and safety of the tissues and cells.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

### **3. Minor shortfall:**

A shortfall which cannot be classified as either critical or major and, which can be addressed by further development by the establishment.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based review or at the time of the next inspection.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

## **Follow up actions**

A template corrective and preventative action plan will be sent as a separate Word document with both the draft and final inspection report. You must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up site-visit inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next desk-based or site-visit inspection.

After an assessment of your proposed action plan you will be notified of the follow-up approach the HTA will take.