

Site visit inspection report on compliance with HTA minimum standards

Sandwell Hospital

HTA licensing number 12131

Licensed under the Human Tissue Act 2004 for the

- **making of a post mortem examination;**
- **removal from the body of a deceased person (otherwise than in the course of an anatomical examination or post-mortem examination) of relevant material of which the body consists or which it contains, for use for a scheduled purpose other than transplantation; and**
- **storage of the body of a deceased person or relevant material which has come from a human body for use for a scheduled purpose**

30 September - 01 October 2015

Summary of inspection findings

The HTA found the Designated Individual, the Licence Holder, the premises and the practices to be suitable in accordance with the requirements of the legislation.

Sandwell Hospital (the establishment) was found to have met all HTA standards.

Particular examples of strengths and good practice are included in the concluding comments section of the report.

The HTA's regulatory requirements

The HTA must assure itself that the Designated Individual, Licence Holder, premises and practices are suitable.

The statutory duties of the Designated Individual are set down in Section 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. The HTA inspects the establishments it licences against four groups of standards:

- consent
- governance and quality systems
- premises facilities and equipment
- disposal.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that a standard is not met, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is given to the DI.

Reports of HTA inspections carried out from 1 November 2010 are published on the HTA's website.

Background to the establishment and description of inspection activities undertaken

This report refers to the activities carried out at Sandwell Hospital (the establishment), which comprises a hub site at Sandwell Hospital and a satellite site at City Hospital in Birmingham. The establishment carries out approximately 260 coronial PM examinations a year as well as around 60 forensic and 30 defence PM examinations. Fewer than five hospital consented PM examinations are conducted annually. Perinatal and paediatric cases are sent to Birmingham Children's Hospital. On the instruction of the Coroner, bodies may be sent to premises nearby for scanning as an alternative to a post-mortem examination. No PM examinations are conducted at the satellite site. Tissue samples taken during PM examination at the hub site are transferred, processed and stored at the satellite site in the Histology Department. Occasionally, NHSBT tissue retrieval teams attend to undertake tissue retrieval activities.

The establishment is staffed by five mortuary technicians, who rotate between the hub and satellite site. The Assistant Manager of Histology is responsible for samples retained during PM examination. She is assisted by a team, responsible for ensuring traceability of tissues and appropriate disposal in line with the wishes of the family. The DI is the Interim Pathology Group Director of Operations and has regular meetings with staff involved with HTA-licensed activities.

The hub site consists of a main body store area and an overflow space, which together provide capacity for 120 bodies. Fifteen of the spaces can accommodate bariatric bodies and two of the spaces can accommodate super bariatric bodies. There are dedicated fridge spaces for forensic cases, and infectious cases. There are eight permanent freezer spaces

and eight additional fridges that can be converted to freezer space if required. Four of the permanent freezer spaces can accommodate bariatric bodies when needed.

The satellite site has 52 fridge spaces. Four of these spaces can accommodate bariatric bodies. There is a dedicated fridge bay for storage of infectious cases. There is a separate walk-in fridge for storage of babies. As no PM examinations are carried out at the satellite site, the PM suite was not inspected.

The PM suite at the hub site has three height-adjustable tables. Each table has a separate down draft dissection bench. There is also a forensic PM room, which has one height-adjustable table and a down draft dissection bench. The forensic PM room has a direct transfer hatch to a storage area, where tissue and formalin fixed organs are stored. Air flow in the PM suite and forensic PM suite are serviced regularly and servicing records were up to date.

The release of a body from the body store to funeral directors was observed during the inspection at the hub site, and the release of a baby to funeral directors was observed at the satellite site. The procedures were compared with the respective standard operating procedures (SOPs). No anomalies were found.

Audit trails were conducted on three bodies in the refrigerators at both the hub site and satellite site, two of which included the same last name. Body location and identification details on wrist tags of the bodies were cross referenced against the information on fridge doors, the mortuary register and computer records. No anomalies were found.

An audit trail was also conducted on three PM cases, where samples had been retained. The first case was a hospital consented PM where histology samples were taken and tissue was sent back to the body before release. The second case was a coroner's case where histology samples were sent to City Hospital and then disposed of, and toxicology was sent for analysis. The third case was a coroner's case where tissue was sent to City Hospital and kept in storage awaiting instructions. Transfer records, consent forms, disposal records and computer records were checked along with the storage location of the tissue. No anomalies were found in any of the audits.

This was the third site visit inspection of the establishment since it was issued an HTA licence in 2007 (the last inspection having taken place in 2013). It was a routine inspection to assess whether the establishment is continuing to meet the HTA's standards. It included a visual inspection of the mortuary, PM suite, body store and viewing room at the hub site and a visual inspection of the body store, viewing room and storage of tissue, blocks and slides in Histology at the satellite site. Interviews with members of staff and a review of documentation were undertaken.

Inspection findings

The HTA found the Designated Individual and the Licence Holder to be suitable in accordance with the requirements of the legislation.

Compliance with HTA standards

All applicable HTA standards have been assessed as fully met.

Advice

The HTA advises the DI to consider the following to further improve practices:

No.	Standard	Advice
1.	GQ1	Current practice is for staff to state the name of the deceased when receiving family members for viewings. To avoid confusion and to mitigate the risk of wrongful viewing, it is recommended that staff ask the family to state the name of the person they have come to view.
2.	PFE1	The current SOP and risk assessment states that staff will let a member of security know when they arrive, and leave, the premises for out of hours viewings. Although this is a written procedure, it currently only happens when staff foresee a problem. Staff should make this standard practice in line with written procedures.
3.	PFE3	At times, staff have difficulty getting confirmation from the police that it is acceptable to move a body into freezer storage. To ensure the dignity of long stay bodies in the mortuary, the DI is advised to have a policy in place stating the point at which a body ought to be moved into freezer storage.
4.	PFE4	The DI is advised to enter into a formal agreement with local funeral directors for contingency storage, which documents the details of the arrangements. This is especially useful in busier winter periods to ensure coverage should the need arise.
5.		In some cases, evisceration takes place before the pathologist has undertaken an external examination of the body. This is in agreement with the pathologist, who first discusses the case history with the Mortuary Technician before giving their permission for evisceration to proceed. This arrangement is governed by an SOP, which sets out the circumstances in which the mortuary technician should not continue with evisceration. Although these procedures are in place, the DI should consider whether it is still appropriate for evisceration to take place before the external examination of the body by the pathologist, a practice which is contrary to RCpath professional guidance.

Concluding comments

Many areas of good practice were observed throughout the inspection. These were:

- detailed and comprehensive SOPs covering all areas of activity in the mortuary;
- inclusion of the mortuary in end of life care training for nurses and junior doctors, to give them a better understanding of mortuary work;
- a clear visual system to track any cases that have gone elsewhere for PM examination; this ensures that the rotating staff can see at a glance in the current status of each case;
- the use of markers on fridge doors to alert staff when bodies need to be handled with care due to irregular body shape; and
- efficient and prompt traceability of tissues.

All shortfalls from the previous inspection were addressed prior to this inspection and evidence of this was reviewed during this inspection.

The HTA has assessed the establishment as suitable to be licensed for the activities specified.

Report sent to DI for factual accuracy: 28 October 2015

Report returned from DI: 28 October 2015

Final report issued: 29 October 2015

Appendix 1: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment have been excluded.

Consent standards
C1 Consent is obtained in accordance with the requirements of the Human Tissue Act 2004 (HT Act) and as set out in the code of practice
<ul style="list-style-type: none">• There is a documented policy which governs consent for post-mortem examination and the retention of tissue and reflects the requirements of the HT Act and the latest version of the HTA Code of Practice on consent.• There is a documented SOP detailing the consent process (including who is able to take consent, what training they must receive, and what information must be provided to those giving consent for post-mortem examination).• There is written information about the consent process (provided to those giving consent), which reflects the requirements of the HT Act and the latest version of the HTA Code of Practice on consent.
C2 Information about the consent process is provided and in a variety of formats
<ul style="list-style-type: none">• Relatives are given an opportunity to ask questions.• Relatives are given an opportunity to change their minds and it is made clear who should be contacted in this event.• Information contains clear guidance on options for how tissue may be handled after the post-mortem examination (repatriated with the body, returned to the family for burial/cremation, disposed of or stored for future use).• Where consent is sought for tissue to be retained for future use, information is provided about the potential uses in order to ensure that informed consent is obtained.• Information on the consent process is available in different languages and formats, or there is access to interpreters/translators.
C3 Staff involved in seeking consent receive training and support in the implications and essential requirements of taking consent
<ul style="list-style-type: none">• There is a training programme for taking consent for post-mortem examination and tissue retention which addresses the requirements of the HT Act and HTA code of practice on consent.• Refresher training is available (e.g. annually).• Attendance at consent training is documented.• If untrained staff are involved in consent taking, they are always accompanied by a trained individual.

Governance and quality system standards

GQ1 All aspects of the establishments work are supported by ratified documented policies and procedures as part of the overall governance process

- Documented policies and SOPs cover all mortuary/laboratory procedures relevant to the licensed activity. These may include:
 - post-mortem examination, including the responsibilities of the APTs and Pathologists (e.g. evisceration) and management of high risk cases
 - record keeping
 - receipt and release of bodies, which reflect out of hours arrangements
 - lone working in the mortuary
 - transfer of bodies and tissue (including blocks and slides) to other establishments or off site
 - ensuring that tissue is handled in line with documented wishes of the relatives
 - disposal of tissue (including blocks and slides)

(Note that individual SOPs for each activity are not required. Some SOPs will cover more than one activity.)
- Policies and procedures are regularly reviewed (for example, every 1-3 years).
- There is a system for recording that staff have read and understood the latest versions of these documents.
- Deviations from documented SOPs are recorded and monitored.

GQ2 There is a documented system of quality management and audit

- There is a quality manual which includes mortuary activities.
- Policies and SOPs are version controlled (and only the latest versions available for use).
- There is a schedule for audits to be carried out (which may include vertical and/or horizontal audits).
- Audits include compliance with documented procedures, records (for completeness) and traceability.
- Audit findings document who is responsible for follow up actions and the timeframe for completing those actions.
- Regular audits of tissue being stored at the establishment ensure that staff are fully aware what material is held and why.
- There is a complaints system in place.

GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills

- Staff are appropriately trained/qualified or supervised.
- Staff have annual appraisals.
- Staff are given opportunities to attend training courses, either internally or externally.
- Attendance by staff at training events is recorded.

- There is a documented training programme for new mortuary staff (e.g. competency checklist).

GQ4 There is a systematic and planned approach to the management of records

- There is a system for managing records which includes which records must be maintained, how they are backed up, where records are kept, how long each type of record is retained and who has access to each type of record.
- There are documented SOPs for record management.

GQ6 A coding and records system facilitates traceability of bodies, body parts, tissues and cells, ensuring a robust audit trail

- Bodies are tagged/labelled upon arrival at the mortuary.
- There is a system to track each body from admission to the mortuary to release for burial or cremation (e.g. mortuary register, patient file, transport records).
- Organs and tissue samples taken during PM examination are fully traceable.
- Details of organs retained and the number of wax blocks and tissue slides made are recorded.
- The traceability system includes the movement of tissue samples between establishments.
- Details are recorded of tissue that is repatriated or released with the body for burial or cremation.
- Regular audits of tissue storage and traceability are undertaken to ensure compliance with operational procedures; tissue samples found which are not being stored with consent are disposed of with reference to the family's wishes.
- Multiple identifiers used, including at least one unique identifier (e.g. post mortem number, name, dates of birth/death, etc) to identify bodies and tissue.

GQ7 There are systems to ensure that all adverse events, reactions and / or incidents are investigated promptly

- Staff are trained in how to use the incident reporting system.
- Staff know how to identify incidents and near-misses which must be reported, including those that must be reported to the HTA
- The incident reporting system clearly outline responsibilities for reporting, investigating and follow up for incidents.
- The incident reporting system ensures that follow up actions are identified (i.e. corrective and preventative actions) and completed.
- Information about incidents is shared with all staff (including the reporter) to avoid repeat errors.

GQ8 Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately

- All procedures related to the licensed activities (as outlined in standard GQ1) are risk assessed.
- Risk assessments include risks associated with non-compliance with HTA standards as well as health and safety risks.
- Risk assessments are reviewed regularly (along with SOPs), for example every 1-3 years.
- Risk assessments include how to mitigate the identified risks; this includes actions that need to be taken, who is responsible for each action, deadlines for completing actions and confirmation that actions have been completed.

Premises, facilities and equipment standards

PFE1 The premises are fit for purpose

- There is sufficient space for the activities to be carried out.
- Refrigerated storage units are in good working condition and well maintained.
- Surfaces are made of non-porous materials.
- The premises are in reasonable condition (structure and cleanliness of floors, walls, entranceways).
- The premises are secure (e.g. there is controlled access to bodies, tissue, equipment and records).

PFE 2 Environmental controls are in place to avoid potential contamination

- There is clear separation of clean, transitional and dirty zones (e.g. doors, floor markings, signs).
- There is appropriate PPE available and routinely worn by staff.
- There is adequate critical equipment and/or PPE available for high risk post mortems.
- There are documented cleaning and decontamination procedures.
- There are documented cleaning schedule and records of cleaning and decontamination.

PFE3 There are appropriate facilities for the storage of bodies, body parts, tissues and cells, consumables and records.

- There is sufficient capacity for storage of bodies, organs and tissues.
- Temperatures of fridges and freezers are monitored on a regular basis.
- There are documented contingency plans in place should there be a power failure, or overflow.
- Bodies are shrouded whilst in storage.
- There is separate storage for infants and babies. If not, special measures are taken for the bodies of infants and babies.

PFE 4 Systems are in place to protect the quality and integrity of bodies, body parts, tissues and cells during transport and delivery to a destination

- There are documented procedures for transportation of bodies and tissue anywhere outside the mortuary (e.g. lab, other establishment), including record-keeping requirements.
 - There are written agreements in place with any external parties (e.g. undertaker, or courier) who transport bodies and/or tissue behalf of the establishment (laboratory or mortuary).
- (Note that coroners usually have their own agreements with external parties for transportation bodies and tissue; however, documentation for traceability purposes must still be maintained by the establishment for these cases.)*

PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored

- Items of equipment in the mortuary are in a good condition and appropriate for use:
 - fridges / Freezers
 - hydraulic trolleys
 - post mortem tables
 - hoists
 - saws (manual and/or oscillating)
 - PPE for high risk cases (e.g. respirators)
- The use of porous materials is kept to a minimum and has been risk assessed
- Maintenance/service records are kept for equipment, including fridges/freezers, trolleys, post mortem tables (if downdraught) and post mortem suite ventilation.

(Note: These records may be held by the mortuary or centrally by the Trust, e.g. Estates Department.)

Disposal Standards

D1 There is a clear and sensitive policy for disposing of human organs and tissue

- There is a documented Trust or mortuary/laboratory policy for the disposal of human tissue, which reflects the requirements of the HTA code of practice on disposal.
- The policy states the position with regard to the retention and use of microscope slides, and in particular that tissue slides must be disposed of or returned to the family in accordance with their wishes if consent is not obtained for their continued storage and future use once the PM has concluded.

D2 PM tissue is disposed of if consent is not given for its storage and use for scheduled purposes

- There are documented procedures for disposal of human tissue, which include methods of disposal for whole organs, wet tissue, wax blocks and microscope slides.
- Tissue is disposed of in accordance with the documented wishes of the deceased person's

family.

- Disposal details of organs and tissue blocks are recorded, including the date and method of disposal.
- There is a rolling programme of tissue disposal that ensures that tissue, including microscope slides, is disposed of in a timely fashion when it is no longer needed for the purposes of the Coroner or to determine the cause of death.

Appendix 2: Classification of the level of shortfall

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the HT Act or associated Directions.

1. Critical shortfall:

A shortfall which poses a significant risk to human safety and/or dignity or is a breach of the Human Tissue Act 2004 (HT Act) or associated Directions

or

A combination of several major shortfalls, none of which is critical on its own, but which together could constitute a critical shortfall and should be explained and reported as such.

A critical shortfall may result in one or more of the following:

- (1) A notice of proposal being issued to revoke the licence
- (2) Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- (3) A notice of suspension of licensable activities
- (4) Additional conditions being proposed
- (5) Directions being issued requiring specific action to be taken straightaway

2. Major shortfall:

A non-critical shortfall that:

- poses a risk to human safety and/or dignity, or
- indicates a failure to carry out satisfactory procedures, or
- indicates a breach of the relevant CoPs, the HT Act and other relevant professional and statutory guidelines, or
- has the potential to become a critical shortfall unless addressed

or

A combination of several minor shortfalls, none of which is major on its own, but which, together, could constitute a major shortfall and should be explained and reported as such.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

3. Minor shortfall:

A shortfall which cannot be classified as either critical or major, but which indicates a departure from expected standards.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based or site visit.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

Follow up actions

A template corrective and preventative action plan will be sent as a separate Word document with both the draft and final inspection report. You must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up site-visit inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next desk-based or site-visit inspection.

After an assessment of your proposed action plan you will be notified of the follow-up approach the HTA will take.