Virtual Regulatory Assessment (VRA) report on compliance with HTA licensing standards Assessment date: **25 May 2021**



Kingston University London

HTA licensing number 12419

Licensed under the Human Tissue Act 2004

Licensed activities

Area	Storage of relevant material which has come from a human body for use for a scheduled purpose	Removal from the body of a deceased person (otherwise than in the course of an anatomical examination or post-mortem examination) of relevant material of which the body consists or which it contains, for use for a scheduled purpose other than transplantation
Kingston University London	Licensed	Not licensed

Summary of assessment findings

The HTA found the Designated Individual (DI) and the Licence Holder (LH) to be suitable in accordance with the requirements of the legislation.

Although the HTA found that Kingston University London (the establishment) had met the majority of the HTA's standards, two minor shortfalls were found against standards for Consent and Governance and quality systems.

The HTA has assessed the establishment as suitable to be licensed for the activities specified, subject to corrective and preventative actions being implemented to meet the shortfalls identified during the assessment.

Compliance with HTA standards

Minor Shortfalls

Standard	Inspection findings	Level of shortfall	
C1 Consent is obtained in accordance HTA's Codes of Practice	e with the requirements of the Human Tissue Act 2004 (HT Act) and as so	et out in the	
d) Written information is provided to those from whom consent is sought, which reflects the requirements of the HT Act and the HTA's Codes of Practice.	Although consent-seekers discuss with donors the activities for which they are seeking consent, written information lacks detail on the types of research that may be involved (including wider implications), the circumstances under which the tissue will be disposed of and how donors can withdraw their consent.	Minor	
GQ1 All aspects of the establishments work are governed by documented policies and procedures as part of the overa governance process			
d) Matters relating to HTA-licensed activities are discussed at regular governance meetings, involving establishment staff.	Governance meetings are <i>ad hoc</i> , meaning that matters relating to HTA-licensed activities are not discussed at regular meetings involving establishment staff.	Minor	

The HTA requires the DI to submit a completed corrective and preventative action (CAPA) plan setting out how the shortfalls will be addressed, within 14 days of receipt of the final report (refer to Appendix 2 for recommended timeframes within which to complete

actions). The HTA will then inform the establishment of the evidence required to demonstrate that the actions agreed in the plan have been completed.

Advice

The HTA advises the DI to consider the following to further improve practices:

1	Number	Standard	Advice	
1		GQ3(a)	There is an online application system for researchers to submit project requests. Throughout the application process, there is ethics and GDPR training to be completed prior to submission. The DI is advised to add the HTA training requirements to this automated system.	

Background

Kingston University London has been licensed by the HTA since February 2007. This was the first Virtual Regulatory Assessment (VRA) of the establishment. Since the last site visit inspection in 2013, there have been changes to named persons under the licence including the DI in 2020, the Corporate Licence Holder contact in 2017 and the Persons Designated in 2015.

Description of inspection activities undertaken

The HTA's regulatory requirements are set out in Appendix 1. The Regulation Manager covered the following areas during the assessment:

Standards assessed against during inspection

All 47 HTA licensing standards were covered during the assessment (standards published 3 April 2017).

Review of governance documentation

Policies and procedural documents relating to all licensed activities, including standard operating procedures and traceability systems were assessed. Documents detailing staff training, adverse events, incidents and audits were also reviewed.

Visual inspection

There was no site visit inspection associated with the assessment.

Meetings with establishment staff

The assessment included discussions with the project chief investigators, the faculty lead for ethics, laboratory technicians, the health and safety officer and the DI.

Report sent to DI for factual accuracy: 8 June 2021

Report returned from DI: 8 June 2021

Final report issued: 15 June 2021

Completion of corrective and preventative actions (CAPA) plan

Based on information provided, the HTA is satisfied that the establishment has completed the agreed actions in the CAPA plan and in doing so has taken sufficient action to correct all shortfalls addressed in the Virtual Regulatory Assessment Report.

Date: 26 07 2021

Appendix 1: The HTA's regulatory requirements

Prior to the grant of a licence, the HTA must assure itself that the DI is a suitable person to supervise the activity authorised by the licence and that the premises are suitable for the activity.

The statutory duties of the DI are set down in Section 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

Its programme of site visit inspections to assess compliance with HTA licensing standards is one of the assurance mechanisms used by the HTA.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. They are grouped under four headings:

- consent
- governance and quality systems
- traceability
- premises facilities and equipment.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that there has been a shortfall against a standard, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is provided.

HTA inspection reports are published on the HTA's website.

Appendix 2: Classification of the level of shortfall

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the Human Tissue Act 2004 (HT Act) or associated Directions.

1. Critical shortfall:

A shortfall which poses a significant risk to human safety and/or dignity or is a breach of the HT Act or associated Directions or

A combination of several major shortfalls, none of which is critical on its own, but which together could constitute a critical shortfall and should be explained and reported as such.

A critical shortfall may result in one or more of the following:

- A notice of proposal being issued to revoke the licence
- Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- A notice of suspension of licensable activities
- Additional conditions being proposed
- Directions being issued requiring specific action to be taken straightaway

2. Major shortfall:

A non-critical shortfall that:

- poses a risk to human safety and/or dignity, or
- indicates a failure to carry out satisfactory procedures, or
- indicates a breach of the relevant Codes of Practice, the HT Act and other relevant professional and statutory guidelines, or

has the potential to become a critical shortfall unless addressed

or

A combination of several minor shortfalls, none of which is major on its own, but which, together, could constitute a major shortfall and should be explained and reported as such.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

Minor shortfall:

A shortfall which cannot be classified as either critical or major, but which indicates a departure from expected standards.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based review or at the time of the next site visit.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

Follow up actions

A template corrective and preventative action plan will be sent as a separate Word document with the final inspection report. Establishments must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up site visit inspection
- · a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next routine site visit inspection.

After an assessment of the proposed action plan establishments will be notified of the follow-up approach the HTA will take.