



## **Site visit inspection report on compliance with HTA minimum standards**

### **UCLH Haemopoietic Stem Cell Transplantation Programme**

**HTA licensing number 11025**

**Licensed for the**

- **procurement, processing, storage and distribution of human tissues and cells for human application under the Human Tissue (Quality and Safety for Human Application) Regulations 2007; and**
- **storage of relevant material which has come from a human body for use for a scheduled purpose**

**11 November 2015**

#### **Summary of inspection findings**

The HTA found the Designated Individual, the Licence Holder, the premises and the practices to be suitable in accordance with the requirements of the legislation.

UCLH Haemopoietic Stem Cell Transplantation Programme (the establishment) was found to have met all HTA standards. Advice has been given relating to the Premises, Facilities and Equipment (PFE) standards.

Particular examples of strengths and good practice are included in the concluding comments section of the report.

## The HTA's regulatory requirements

The HTA must assure itself that the Designated Individual (DI), Licence Holder (LH), premises and practices are suitable.

The statutory duties of the DI are set down in Section 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. The HTA inspects the establishments it licenses against four groups of standards:

- consent
- governance and quality systems
- premises facilities and equipment
- disposal.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that a standard is not met, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is given to the DI.

Reports of HTA inspections carried out from 1 November 2010 are published on the HTA's website.

### Licensable activities carried out by the establishment

'E' = Establishment is licensed to carry out this activity.

'E\*' = Establishment is licensed to carry out this activity but is not currently carrying it out (see below).

'TPA' = Third party agreement; the establishment is licensed for this activity but another establishment (unlicensed) carries out the activity on their behalf.

Tissue type	Procurement	Processing	Testing	Storage	Distribution	Import	Export
BM	E	E	-	E	TPA	-	-
DLI	E	E	-	E	TPA	-	-
PBSC	E	E	-	E	TPA	-	-
UCB	E*	E*	-	E	E*	-	-

BM = Cells derived from Bone Marrow; DLI = Cells for Donor Lymphocyte Infusion; PBSC = Peripheral Blood Stem Cells; UCB = Umbilical Cord Blood.

## **Background to the establishment and description of inspection activities undertaken**

This report refers to the activities carried out by University College London Hospitals NHS FT (UCLH) Haemopoietic Stem Cell Transplantation Programme (UCLH; the establishment). The establishment has a 'stand-alone' licence and licensable activities occur in the Macmillan Cancer Centre, the operating theatre complex in the main hospital and in the Wolfson Cellular Therapy Unit (WCTU).

This was the fifth HTA site visit inspection of the establishment since it was issued an HTA licence in November 2006 (the last inspection was in November 2013). It was a routine inspection to assess whether the establishment is continuing to meet the HTA's standards. The organisation is also accredited by the Joint Accreditation Committee - European Society for Blood and Marrow Transplantation (EBMT) and the International Society for Cellular Therapy (ISCT) (JACIE).

The establishment undertakes donor selection and consent, procurement, processing, storage, distribution and end use (transplantation) of haematopoietic stem cells (HPCs). The HPCs are cells derived from Bone Marrow (BM) and Peripheral Blood Stem Cells (PBSC). Donations (collections) are from adults and adolescents and are for autologous and allogeneic transplantation. The establishment also handles cells for Donor Lymphocyte Infusion (DLI) and receives Umbilical Cord Blood (UCB) for allogeneic transplantation.

The majority of allogeneic collections are from healthy volunteers donating to the 'Anthony Nolan and NHS Stem Cell Registry' (the 'registry') under a service level agreement (SLA). Allogeneic collections are also undertaken from related adult donors and siblings for directed donations. Autologous collections are for transplantation within UCLH.

Tissue-typed ('matched') unrelated collections for UCLH patients take place at other centres managed via the registry and are transported to UCLH for transplantation.

The establishment also collects whole blood and buffy coat from healthy volunteers in clinical trials. This is stored prior to shipment to other sites as part of the trial. Clinical trials samples are also received from other establishments and are stored pending transplantation at UCLH.

The establishment carried out 96 autologous transplants (78 adult, 18 adolescent) and 133 allogeneic transplants (126 adult, seven adolescent) in 2014.

### Donor selection, consent and procurement

Donor selection and consent for PBSC and DLI collection and serological testing occurs in the Macmillan Cancer Centre. Consent for BM collection takes place in the Day Surgery Unit in the main hospital and consent for adolescent collections in the adolescent unit in the main hospital. All consent is sought by trained consultants, specialist registrars or clinical nurse specialists. Donors give their consent for a maximum five-year storage period, after which time cells can be disposed of or used for research.

For registry collections, consent for donation and serological testing is sought initially by the registry and is then confirmed by the establishment.

The apheresis unit in the Macmillan Cancer Centre contains eight apheresis machines. There is a separate room containing two machines for adolescent collections. Reagents for apheresis are stored in a temperature-monitored storage area. Collections for the clinical trials also take place in this unit.

### Testing

Samples for serology testing are taken up to 30 days prior to stem cell collection and are sent directly to UCLH Department of Clinical Microbiology and Virology (HTA licensing number

22650) under SLA. Serological antibody testing and molecular nucleic acid amplification technique (NAT) testing for HIV, HBV and HCV are carried out on donor samples. Serological antibody testing is carried out for HTLV-1 and 2.

#### Processing and storage

Collections are transported by hospital staff to the WCTU using validated, temperature monitored containers. Registry collections are transported by courier to transplantation centres under Third Party Agreement (TPA) with the registry. Clinical trial samples are transported by courier under TPA with the establishment.

Incoming registry donations collected at other centres are transported by courier under TPA with the registry.

Processing. The WCTU comprises a cleanroom facility, cryopreservation and storage unit and quality control laboratory.

DLI and PBSC units are processed directly in the cleanroom and BM units are volume-reduced in the apheresis unit before processing in the cleanroom. The cleanroom facility contains two cleanrooms. Environmental monitoring is performed in accordance with the Human Tissue (Quality and Safety for Human Application) Regulations 2007 and there is monthly viable and non-viable particle environmental and personnel monitoring.

Agreements are in place for regular maintenance of the cleanroom facility and for the provision of cleanroom garments.

The processing steps create one cryobag and four ampoules ('pilot tubes') for each unit. The pilot tubes allow for confirmatory, post storage and pre-transplant quality control analysis.

Quality control. The quality control laboratory contains equipment for cell counting, flow cytometry and biological function (colony-forming unit, CFU, assays). Sterility analysis (for both bacteria and fungi) is performed by the UCLH Department of Clinical Microbiology and Virology under SLA. Blood group analysis, human leukocyte antigen (HLA) typing and haemoglobinopathy testing are carried out by the UCLH Department of Haematology and Transfusion.

Cryopreservation and storage. Cryopreservation of products and pilot tubes takes place overnight in a dedicated position within a -80°C mechanical freezer. The cooling curves for this freezer (and for the contingency -80°C freezer) have been validated.

Cryopreserved cells are stored in one of six -140°C freezers. There is a separate -140°C freezer for quarantined products. Freezers and liquid nitrogen tanks are available for contingency storage.

The freezers are linked to a data-logged, continuous temperature monitoring facility which feeds into a wireless callout system. The liquid nitrogen storage area contains oxygen depletion monitors and the tank is linked to an automatic cryofilling system and to the wireless callout system. Temperature excursions outside set ranges, failure of the cryofilling system and power failure to the storage facilities trigger both audible alarms and the wireless callout system.

Processed units and pilot tubes in heat-sealed overwrap bags are stored in the quarantine freezer until all testing and processing records have been completed.

The acceptance criteria for stem cell units for human application include thresholds for: pre-processing total nucleated cell count; immunophenotype (CD34 and CD45), viability and biological function prior to cryopreservation. Cryopreserved units are confirmed as sterile, with acceptable haemoglobin levels, and are negative for serum markers. The samples will have been HLA tissue typed. Units which do not meet these thresholds are stored for research

purposes (with appropriate consent) or, for units with minimal cell counts, are disposed of.

To prevent exceeding capacity, the establishment has a maximum five-year period for samples remaining in storage.

The timetable for the site visit inspection was developed after consideration of the establishment's licence application, compliance update information and discussions with the DI. The site visit inspection included a visual inspection of the adult and adolescent units, the operating theatre complex and the WCTU.

Interviews were held with staff working under the licence. They were: the DI (Processing Facility Director); the Persons Designated (PDs; (i) Quality and Service Improvement Manager; (ii) Clinical Scientist/Laboratory Manager); the Corporate Licence Holder contact (Divisional Manager - UCLH Cancer); the Collection Facility Director; a staff member overseeing consent and procurement – apheresis; and a staff member overseeing consent and procurement – BM.

A documentation review and a vertical audit of traceability were carried out:

- Consent documentation, results of mandatory testing and processing documentation for each of six sets of samples were reviewed in the paper records within individual files. There were no discrepancies noted.

### Inspection findings

The HTA found the DI and the (Corporate) LH (CLH) to be suitable in accordance with the requirements of the legislation.

### Compliance with HTA standards

All applicable HTA standards have been assessed as fully met.

### Advice

The HTA advises the DI to consider the following to further improve practices:

No.	Standard	Advice
1.	PFE2b	<p>The WCTU processing staff have previously had training from the Department of Clinical Microbiology and Virology in assessing and identifying the morphology of 'staphylococcus-positive' growths during environmental monitoring. As such, positive cultures of staphylococcal species are not routinely referred for microbiological analysis.</p> <p>The DI is advised to seek advice and assurances from the Department of Clinical Microbiology and Virology about the ongoing suitability of this current approach. For instance, in certain circumstances, the DI may wish to consider sending samples away for more regular analysis and confirmatory typing in case, for example, a contamination trend is not picked up as quickly as it could be.</p> <p>The DI may also wish to consider formalising training on this procedure.</p>

### Concluding comments

During the inspection several areas of strength and good practice were noted:

- The facility benefits from having stem cell collection, cell processing and clinical areas all in the same hospital. Staff in all these areas are experienced, enthusiastic and dedicated to the continuing improvement of the service.

- The establishment works to a high standard throughout with an emphasis on teamwork and good integration between clinical and laboratory services.
- The donor has two consent meetings with the clinician, where information about the consent process is provided. This helps to ensure that the person giving consent is fully informed about the donation. A similar procedure takes place at transplantation.
- There is a detailed programme of rolling audits linked to robust corrective action plans and root cause analysis.
- The storage of records relating to tissues and cells using the Processing Records system provided good traceability in all cases audited, with the relevant files being held in a secure and well organised store on site.
- There is a detailed and extensive suite of risk assessments for all licensable activities.
- The establishment reviews clinical outcome data on a regular basis to ensure the quality of cells for transplantation.

The HTA has given advice to the DI with respect to the Premises, Facilities and Equipment standards.

The HTA has assessed the establishment as suitable to be licensed for the activities specified.

**Report sent to DI for factual accuracy: 9 December 2015**

**Report returned from DI: 11 December 2015**

**Final report issued: 15 January 2016**

## Appendix 1: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment marked as 'N/A'.

### Human Tissue (Quality and Safety for Human Application) Regulations 2007 Standards

#### Consent

Standard
C1 Consent is obtained in accordance with the requirements of the HT Act 2004, the Human Tissue (Quality and Safety for Human Application) Regulations 2007 and as set out in the HTA's Codes of Practice.
a) If the establishment acts as a procurer of tissues and / or cells, there is an established process for acquiring donor consent which meets the requirements of the HT Act 2004 the Human Tissue (Quality and Safety for Human Application) Regulations 2007 (Q&S Regulations) and the HTA's Codes of Practice
b) If there is a third party procuring tissues and / or cells on behalf of the establishment the third party agreement ensures that consent is obtained in accordance with the requirements of the HT Act 2004, the Q&S Regulations and the HTA's Codes of Practice.
c) The establishment or the third party's procedure on obtaining donor consent includes how potential donors are identified and who is able to take consent.
d) Consent forms comply with the HTA Codes of Practice.
e) Completed consent forms are included in records and are made accessible to those using or releasing tissue and / or cells for a Scheduled Purpose.
C2 Information about the consent process is provided and in a variety of formats.
a) The procedure on obtaining consent details what information will be provided to donors. As a minimum, the information specified by Directions 003/2010 is included.
b) If third parties act as procurers of tissues and / or cells, the third party agreement details what information will be provided to donors. As a minimum, the information specified by Directions 003/2010 is included.
c) Information is available in suitable formats and there is access to independent interpreters when required.
d) There are procedures to ensure that information is provided to the donor or donor's family by trained personnel.
C3 Staff involved in seeking consent receive training and support in the implications and essential requirements of taking consent.
a) Staff involved in obtaining consent are provided with training on how to take informed consent in accordance with the requirements of the HT Act 2004 and Code of Practice on Consent.
b) Training records are kept demonstrating attendance at training on consent.

## Governance and Quality Systems

Standard
GQ1 All aspects of the establishment's work are supported by ratified documented policies and procedures as part of the overall governance process.
a) There is an organisational chart clearly defining the lines of accountability and reporting relationships.
b) There are procedures for all licensable activities that ensure integrity of tissue and / or cells and minimise the risk of contamination.
c) There are regular governance meetings, for example health and safety, risk management and clinical governance committees, which are recorded by agendas and minutes.
d) There is a document control system to ensure that changes to documents are reviewed, approved, dated and documented by an authorised person and only current documents are in use.
e) There are procedures for tissue and / or cell procurement, which ensure the safety of living donors.
f) There are procedures for tissue and / or cell procurement, which ensure the dignity of deceased donors. <b>N/A</b>
g) There are procedures to ensure that an authorised person verifies that tissues and / or cells received by the establishment meet required specifications.
h) There are procedures for the management and quarantine of non-conforming consignments or those with incomplete test results, to ensure no risk of cross contamination.
i) There are procedures to ensure tissues and / or cells are not released from quarantine until verification has been completed and recorded.
j) There are procedures detailing the critical materials and reagents used and where applicable, materials and reagents meet the standards laid down by the European directives on medical devices and in vitro diagnostic medical devices.
k) There is a procedure for handling returned products.
l) There are procedures to ensure that in the event of termination of activities for whatever reason, stored tissues and / or cells are transferred to another licensed establishment or establishments.
m) The criteria for allocating tissues and / or cells to patients and health care institutions are documented and made available to these parties on request.
n) The establishment ensures imports from non EEA states meet the standards of quality and safety set out in Directions 003/2010. <b>N/A</b>
o) There is a complaints system in place.
p) There are written agreements with third parties whenever an activity takes place that has the potential to influence the quality and safety of human tissues and / or cells.
q) There is a record of agreements established with third parties.



r) Third party agreements specify the responsibilities of the third party and meet the requirements set out in Directions 003/2010.
s) Third party agreements specify that the third party will inform the establishment in the event of a serious adverse reaction or event.
t) There are procedures for the re-provision of service in an emergency.
GQ2 There is a documented system of quality management and audit.
a) There is a quality management system which ensures continuous and systematic improvement.
b) There is an internal audit system for all licensable activities.
c) An audit is conducted in an independent manner at least every two years to verify compliance with protocols and HTA standards, and any findings and corrective actions are documented.
d) Processes affecting the quality and safety of tissues and / or cells are validated and undergo regular evaluation to ensure they continue to achieve the intended results.
GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills.
a) There are clearly documented job descriptions for all staff.
b) There are orientation and induction programmes for new staff.
c) There are continuous professional development (CPD) plans for staff and attendance at training is recorded.
d) There is annual documented mandatory training (e.g. health and safety and fire).
e) Personnel are trained in all tasks relevant to their work and their competence is recorded.
f) There is a documented training programme that ensures that staff have adequate knowledge of the scientific and ethical principles relevant to their work, and the regulatory context.
g) There is a documented training programme that ensures that staff understand the organisational structure and the quality systems used within the establishment.
h) There is a system of staff appraisal.
i) Where appropriate, staff are registered with a professional or statutory body.
j) There are training and reference manuals available.
k) The establishment is sufficiently staffed to carry out its activities.
GQ4 There is a systematic and planned approach to the management of records.
a) There are procedures for the creation, identification, maintenance, access, amendment, retention and destruction of records.
b) There is a system for the regular audit of records and their content to check for completeness,

legibility and accuracy and to resolve any discrepancies found.
c) Written records are legible and indelible. Records kept in other formats such as computerised records are stored on a validated system.
d) There is a system for back-up / recovery in the event of loss of computerised records.
e) The establishment keeps a register of the types and quantities of tissues and / or cells that are procured, tested, preserved, processed, stored and distributed or otherwise disposed of, and on the origin and destination of tissues and cells intended for human application.
f) There are procedures to ensure that donor documentation, as specified by Directions 003/2010, is collected and maintained.
g) There is a system to ensure records are secure and that donor confidentiality is maintained in accordance with Directions 003/2010.
h) Raw data which are critical to the safety and quality of tissues and cells are kept for 10 years after the use, expiry date or disposal of tissues and / or cells.
i) The minimum data to ensure traceability from donor to recipient as required by Directions 003/2010 are kept for 30 years after the use, expiry or disposal of tissues and / or cells.
j) Records are kept of products and material coming into contact with the tissues and / or cells.
k) There are documented agreements with end users to ensure they record and store the data required by Directions 003/2010.
l) The establishment records the acceptance or rejection of tissue and / or cells that it receives and in the case of rejection why this rejection occurred.
m) In the event of termination of activities of the establishment a contingency plan to ensure records of traceability are maintained for 10 or 30 years as required.
GQ5 There are documented procedures for donor selection and exclusion, including donor criteria.
a) Donors are selected either by the establishment or the third party acting on its behalf in accordance with the criteria required by Directions 003/2010.
b) The testing of donors by the establishment or a third party on behalf of the establishment is carried out in accordance with the requirements of Directions 003/2010.
c) In cases other than autologous donors, donor selection is carried out by authorised personnel and signed and reviewed by a qualified health professional.
d) There is a system in place either at the establishment or at a third party acting on its behalf to record results of donor selection and associated tests.
e) Testing of donor samples is carried out using CE marked diagnostic tests. <b>N/A</b>
f) Samples taken for donor testing are clearly labelled with the time and place the sample was taken and a unique donor identification code.

<p>GQ6 A coding and records system facilitates traceability of tissues and / or cells, ensuring a robust audit trail.</p>
<p>a) There is a donor identification system which assigns a unique code to each donation and to each of the products associated with it.</p>
<p>b) An audit trail is maintained, which includes details of when the tissues and / or cells were acquired and from where, the uses to which the tissues and / or cells were put, when the tissues and / or cells were transferred elsewhere and to whom.</p>
<p>c) The establishment has procedures to ensure that tissues and / or cells imported, procured, processed, stored, distributed and exported are traceable from donor to recipient and vice versa.</p>
<p>GQ7 There are systems to ensure that all adverse events, reactions and/or incidents are investigated promptly.</p>
<p>a) There are procedures for the identification, reporting, investigation and recording of adverse events and reactions, including documentation of any corrective or preventative actions.</p>
<p>b) There is a system to receive and distribute national and local information (e.g. HTA regulatory alerts) and notify the HTA and other establishments as necessary of serious adverse events or reactions.</p>
<p>c) The responsibilities of personnel investigating adverse events and reactions are clearly defined.</p>
<p>d) There are procedures to identify and decide the fate of tissues and / or cells affected by an adverse event, reaction or deviation from the required quality and safety standards.</p>
<p>e) In the event of a recall, there are personnel authorised within the establishment to assess the need for a recall and if appropriate initiate and coordinate a recall.</p>
<p>f) There is an effective, documented recall procedure which includes a description of responsibilities and actions to be taken in the event of a recall including notification of the HTA and pre-defined times in which actions must be taken.</p>
<p>g) Establishments distributing tissue and / or cells provide information to end users on how to report a serious adverse event or reaction and have agreements with them specifying that they will report these events or reactions.</p>
<p>h) Establishments distributing tissues and / or cells have systems to receive notifications of serious adverse events and reactions from end users and notify the HTA.</p>
<p>GQ8 Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately.</p>
<p>a) There are documented risk assessments for all practices and processes.</p>
<p>b) Risk assessments are reviewed regularly, as a minimum annually or when any changes are made that may affect the quality and safety of tissues and cells.</p>
<p>c) Staff can access risk assessments and are made aware of local hazards at training.</p>
<p>d) A documented risk assessment is carried out to decide the fate of any tissue and / or cells stored prior to the introduction of a new donor selection criteria or a new processing step, which enhances</p>

the quality and safety of tissue and / or cells.

### Premises, Facilities and Equipment

#### Standard

PFE1 The premises are fit for purpose.

a) A risk assessment has been carried out of the premises to ensure that they are fit for purpose.

b) There are procedures to review and maintain the safety of staff, visitors and patients.

c) The premises have sufficient space for procedures to be carried out safely and efficiently.

d) Where appropriate, there are procedures to ensure that the premises are of a standard that ensures the dignity of deceased persons. **N/A**

e) There are procedures to ensure that the premises are secure and confidentiality is maintained.

f) There is access to a nominated, registered medical practitioner and / or a scientific advisor to provide advice and oversee the establishment's medical and scientific activities.

PFE2 Environmental controls are in place to avoid potential contamination.

a) Tissues and / or cells stored in quarantine are stored separately from tissue and / or cells that have been released from quarantine.

b) Where processing of tissues and / or cells involves exposure to the environment, it occurs in an appropriate, monitored environment as required by Directions 003/2010.

c) There are procedures for cleaning and decontamination.

d) Staff are provided with appropriate protective clothing and equipment that minimise the risk of contamination of tissue and / or cells and the risk of infection to themselves.

PFE3 There are appropriate facilities for the storage of tissues and / or cells, consumables and records.

a) Tissues, cells, consumables and records are stored in secure environments and precautions are taken to minimise risk of damage, theft or contamination.

b) There are systems to deal with emergencies on a 24 hour basis.

c) Tissues and / or cells are stored in controlled, monitored and recorded conditions that maintain tissue and / or cell integrity.

d) There is a documented, specified maximum storage period for tissues and / or cells.

PFE4 Systems are in place to protect the quality and integrity of tissues and / or cells during transport and delivery to its destination.

a) There is a system to ensure tissue and / or cells are not distributed until they meet the standards laid down by Directions 003/2010.

b) There are procedures for the transport of tissues and / or cells which reflect identified risks associated with transport.
c) There is a system to ensure that traceability of tissues and / or cells is maintained during transport.
d) Records are kept of transportation and delivery.
e) Tissues and / or cells are packaged and transported in a manner and under conditions that minimise the risk of contamination and ensure their safety and quality.
f) There are third party agreements with courier or transport companies to ensure that any specific transport conditions required are maintained.
g) Critical transport conditions required to maintain the properties of tissue and / or cells are defined and documented.
h) Packaging and containers used for transportation are validated to ensure they are fit for purpose.
i) Primary packaging containing tissues and / or cells is labelled with the information required by Directions.
j) Shipping packaging containing tissues and / or cells is labelled with the information required by Directions.
PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored.
a) Critical equipment and technical devices are identified, validated, regularly inspected and records are maintained.
b) Critical equipment is maintained and serviced in accordance with the manufacturer's instructions.
c) Equipment affecting critical processes and storage parameters is identified and monitored to detect malfunctions and defects and procedures are in place to take any corrective actions.
d) New and repaired equipment is validated before use and this is documented.
e) There are documented agreements with maintenance companies.
f) Cleaning, disinfection and sanitation of critical equipment is performed regularly and this is recorded.
g) Instruments and devices used for procurement are sterile, validated and regularly maintained.
h) Users have access to instructions for equipment and receive training in the use of equipment and maintenance where appropriate.
i) Staff are aware of how to report an equipment problem.
j) For each critical process, the materials, equipment and personnel are identified and documented.
k) There are contingency plans for equipment failure.

## Disposal

Standard
D1 There is a clear and sensitive policy for disposing of tissues and / or cells.
a) The disposal policy complies with HTA's Codes of Practice.
b) The disposal procedure complies with Health and Safety recommendations.
c) There is a documented procedure on disposal which ensures that there is no cross contamination.
D2 The reasons for disposal and the methods used are carefully documented.
a) There is a procedure for tracking the disposal of tissue and / or cells that details the method and reason for disposal.
b) Disposal arrangements reflect (where applicable) the consent given for disposal.

## Human Tissue Act 2004 Standards

### Consent standards

#### **C1 Consent is obtained in accordance with the requirements of the Human Tissue Act 2004 (HT Act) and as set out in the code of practice**

- Consent forms comply with the HTA's Code of Practice
- Consent forms are in records and are made accessible to those using or releasing relevant material for a scheduled purpose
- If the establishment obtains consent, a process is in place for acquiring consent in accordance with the requirements of the HT Act 2004 and the HTA's Codes of Practice
- Where applicable, there are agreements with third parties to ensure that consent is obtained in accordance with the requirements of the HT Act 2004 and the HTA's Codes of Practice
- Consent procedures have been ethically approved

#### **C2 Information about the consent process is provided and in a variety of formats**

- Standard operating procedures (SOPs) detail the procedure for providing information on consent
- Agreements with third parties contain appropriate information
- Independent interpreters are available when appropriate
- Information is available in suitable formats, appropriate to the situation
- Consent procedures have been ethically approved

#### **C3 Staff involved in seeking consent receive training and support in the implications and essential requirements of taking consent**

- Standard operating procedures (SOPs) detail the consent process
- Evidence of suitable training of staff involved in seeking consent
- Records demonstrate up-to-date staff training
- Competency is assessed and maintained

### Governance and quality system standards

#### **GQ1 All aspects of the establishments work are supported by ratified documented policies and procedures as part of the overall governance process**

- Policies and procedures are in place, covering all activities related to the storage of relevant material for research in connection with disorders, or the functioning, of the human body
- Appropriate risk management systems are in place
- Regular governance meetings are held; for example, health and safety and risk management committees, agendas and minutes
- Complaints system

**GQ2 There is a documented system of quality management and audit**

- A document control system, covering all documented policies and standard operating procedures (SOPs).
- Schedule of audits
- Change control mechanisms for the implementation of new operational procedures

**GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills**

- Qualifications of staff and training are recorded, records showing attendance at training
- Orientation and induction programmes
- Documented training programme, (e.g. health and safety, fire, risk management, infection control), including developmental training
- Training and reference manuals
- Staff appraisal / review records and personal development plans are in place

**GQ4 There is a systematic and planned approach to the management of records**

- Documented procedures for the creation, amendment, retention and destruction of records
- Regular audit of record content to check for completeness, legibility and accuracy
- Back-up / recovery facility in the event of loss of records
- Systems ensure data protection, confidentiality and public disclosure (whistle-blowing)

**GQ5 There are documented procedures for distribution of body parts, tissues or cells**

- A process is in place to review the release of relevant material to other organisations
- An agreement is in place between the establishment and the organisation to whom relevant material is supplied regarding the tracking and use of material and eventual disposal or return

**GQ6 A coding and records system facilitates traceability of bodies, body parts, tissues and cells, ensuring a robust audit trail**

- There is an identification system which assigns a unique code to each donation and to each of the products associated with it
- An audit trail is maintained, which includes details of when and where the relevant material was acquired, the consent obtained, the uses to which the material was put, when the material was transferred and to whom



**GQ7 There are systems to ensure that all adverse events are investigated promptly**

- Corrective and preventive actions are taken where necessary and improvements in practice are made
- System to receive and distribute national and local information (e.g. HTA communications)

**GQ8 Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately**

- Documented risk assessments for all practices and processes
- Risk assessments are reviewed when appropriate
- Staff can access risk assessments and are made aware of local hazards at training

**Premises, facilities and equipment standards**

**PFE1 The premises are fit for purpose**

- A risk assessment has been carried out of the premises to ensure that they are appropriate for the purpose
- Policies in place to review and maintain the safety of staff, authorised visitors and students
- The premises have sufficient space for procedures to be carried out safely and efficiently
- Policies are in place to ensure that the premises are secure and confidentiality is maintained

**PFE 2 Environmental controls are in place to avoid potential contamination**

- Documented cleaning and decontamination procedures
- Staff are provided with appropriate protective equipment and facilities that minimise risks from contamination
- Appropriate health and safety controls are in place

**PFE3 There are appropriate facilities for the storage of bodies, body parts, tissues and cells, consumables and records.**

- Relevant material, consumables and records are stored in suitable secure environments and precautions are taken to minimise risk of damage, theft or contamination
- Contingency plans are in place in case of failure in storage area
- Critical storage conditions are monitored and recorded
- System to deal with emergencies on 24 hour basis
- Records indicating where the material is stored in the premises

**PFE 4 Systems are in place to protect the quality and integrity of bodies, body parts, tissues and cells during transport and delivery to a destination**

- Documented policies and procedures for the appropriate transport of relevant material, including a risk assessment of transportation
- A system is in place to ensure that traceability of relevant material is maintained during transport
- Records of transportation and delivery
- Records are kept of any agreements with recipients of relevant material
- Records are kept of any agreements with courier or transport companies

**PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored**

- Records of calibration, validation and maintenance, including any agreements with maintenance companies
- Users have access to instructions for equipment and receive training in use and maintenance where appropriate
- Staff aware of how to report an equipment problem
- Contingency plan for equipment failure

**Disposal Standards**

**D1 There is a clear and sensitive policy for disposing of human organs and tissue**

- Documented disposal policy
- Policy is made available to the public
- Compliance with health and safety recommendations

**D2 The reason for disposal and the methods used are carefully documented**

- Standard operating procedures (SOPs) for tracking the disposal of relevant material detail the method and reason for disposal
- Where applicable, disposal arrangements reflect specified wishes

## Appendix 2: Classification of the level of shortfall (HA)

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the Human Tissue Act 2004, Human Tissue (Quality and Safety for Human Application) Regulations 2007 or the HTA Directions.

### 1. Critical shortfall:

A shortfall which poses a significant risk to causing harm to a recipient patient or to a living donor,

*or*

A number of 'major' shortfalls, none of which is critical on its own, but viewed cumulatively represents a systemic failure and therefore is considered 'critical'.

A critical shortfall may result in one or more of the following:

- (1) A notice of proposal being issued to revoke the licence
- (2) Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented
- (3) A notice of suspension of licensable activities
- (4) Additional conditions being proposed
- (5) Directions being issued requiring specific action to be taken straight away.

### 2. Major shortfall:

A non-critical shortfall.

A shortfall in the carrying out of licensable activities which poses an indirect risk to the safety of a donor or a recipient

*or*

A shortfall in the establishment's quality and safety procedures which poses an indirect risk to the safety of a donor or a recipient;

*or*

A shortfall which indicates a major deviation from the Human Tissue (Quality and Safety for Human Application) Regulations 2007 or the HTA Directions;

*or*

A shortfall which indicates a failure to carry out satisfactory procedures for the release of tissues and cells or a failure on the part of the designated individual to fulfil his or her legal duties;

*or*

A combination of several 'minor' shortfalls, none of which is major on its own, but which, viewed cumulatively, could constitute a major shortfall by adversely affecting the quality and safety of the tissues and cells.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

### **3. Minor shortfall:**

A shortfall which cannot be classified as either critical or major and which can be addressed by further development by the establishment.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based review or at the time of the next inspection.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

### **Follow up actions**

A template corrective and preventative action plan will be sent as a separate Word document with both the draft and final inspection report. You must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up site visit inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next desk-based or site-visit inspection.

After an assessment of the proposed action plan the establishment will be notified of the follow-up approach the HTA will take.