

Site visit inspection report on compliance with HTA minimum standards

University Hospitals Coventry and Warwickshire

HTA licensing number 30018

Licensed under the Human Tissue Act 2004 for the

- **making of a post mortem examination;**
- **removal from the body of a deceased person (otherwise than in the course of an anatomical examination or post-mortem examination) of relevant material of which the body consists or which it contains, for use for a scheduled purpose other than transplantation; and**
- **storage of the body of a deceased person or relevant material which has come from a human body for use for a scheduled purpose**

27 September 2012

Summary of inspection findings

The HTA found the Designated Individual, the Licence Holder and the premises to be suitable in accordance with the requirements of the legislation.

Although the HTA found that University Hospitals Coventry and Warwickshire (the establishment) had met the majority of the HTA standards, a shortfall was found, in relation to consent documentation.

The establishment has made improvements to practices since the last inspection. Particular examples of strengths and good practice are included in the concluding comments section of the report.

The HTA's regulatory requirements

The HTA must assure itself that the Designated Individual, Licence Holder, premises and practices are suitable.

The statutory duties of the Designated Individual are set down in Paragraph 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. The HTA inspects the establishments it licences against four groups of standards:

- consent
- governance and quality systems
- premises facilities and equipment
- disposal.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that a standard is not met, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is given to the DI.

Reports of HTA inspections carried out from 1 November 2010 are published on the HTA's website.

Background to the establishment and description of inspection activities undertaken

The establishment carries out approximately 500 post mortem examinations (PMEs) each year. The majority of these cases are performed on behalf of the Coroner. The establishment also undertakes the occasional hospital (consented) PME.

This routine inspection covered the establishment's body storage area, consisting of: 15 five-tray fridges, and four fridges used for deep-freeze, high-risk or bariatric cases. One set of five trays is reserved for paediatric/fetal cases. All storage space consists of pass-through fridges/freezers into the relevant PM suite. The mortuary also has a separate room which can be equipped with 12 additional trays for a temporary body storage system if needed. The visual inspection also covered the PM suite, one with five tables and a separate high-risk suite, with one table, and the tissue bank.

The establishment had previously been inspected on one occasion without any conditions placed on the licence. Substantial progress has been made to improve practices at the establishment since the last inspection, as evidenced through document review, interviews, audit trail and the visual inspection conducted during this inspection. The pathology laboratory was not inspected, as since the last inspection, the establishment has moved to storing all tissue in the mortuary and tissue bank. Tissue is not cassetted in the laboratory and any tissue taken from the mortuary is brought directly back for storage following analysis. Traceability audits were therefore focussed on the mortuary storage areas and on tissue stored in the establishment's research tissue bank.

Audits were completed on two bodies with same last names in the body store, tissue donated to the tissue bank and on documentation for a hospital PM and a brain donation. Identifiers were traced through from the mortuary incoming book, to the mortuary register, wrist tags and physical blocks and slides (where appropriate) and histology records.

There was one anomaly found during the audit of tissue held by the research tissue bank. Although traceability was preserved, in one case, mortuary records indicated 13 blocks, whereas there were 23 physically present in the tissue bank and 23 recorded in the tissue bank's LIMS (see Advice GQ5).

Inspection findings

The HTA found the Designated Individual and the Licence Holder to be suitable in accordance with the requirements of the legislation.

Compliance with HTA standards

Consent

Standard	Inspection findings	Level of shortfall
C1 Consent is obtained in accordance with the requirements of the Human Tissue Act 2004 (HT Act) and as set out in the Code of Practice.	Consent for hospital PMs is sought by the clinician who had been treating the deceased with a bereavement officer present. One version of the information for families, although referring to blocks and slides, did not clearly define families' options with regards to blocks and slides following analysis of the tissue. Another version of the information, found during document review, did refer to blocks and slides, but was out of date. The information for families should be updated so families are aware of their options as to the fate of all tissue that may have been taken during the PM examination.	Minor

Advice

The HTA advises the DI to consider the following to further improve practices:

No.	Standard	Advice
1.	C1	<p>The establishment identified the current hospital consent form should be updated. The DI may wish to refer to HTA model consent forms in reviewing the consent form.</p> <p>http://www.hta.gov.uk/db/documents/Post-mortem_examination_consent_form_2011.doc</p> <p>When reviewing the family information, the DI may wish to refer to HTA <i>Post-mortem examination your choices about organs and tissues</i>.</p> <p>http://www.hta.gov.uk/db/documents/Post-mortem_examination_-_your_choices_about_organ_and_tissue_FINAL_v3_0_201201255642.pdf</p> <p>The DI is advised to review the consent SOP after updating other consent-related documentation.</p>
2.	C2	<p>Following the update to the information given to bereaved families as part of the consent process, the DI is advised to consider the use of the establishment's braille version of the information and whether it continues to reflect the information being given to families.</p>
3.	GQ1	<p>There were a number of SOPs on Q-Pulse, covering the full range of licensable activities. These are regularly reviewed; however the DI may wish to manually check SOPs to ensure all are reviewed biennially, as marked on the SOPs.</p> <p>Although the SUI policy was revised in 2011 and SUIs are reported in accordance with HTA's requirements, the DI is advised to update the policy to include current HTA SUI reporting categories and timeframe. The DI may wish to refer to Guidance Document, <i>SUI Notification</i>:</p> <p>http://www.hta.gov.uk/db/documents/Guidance_Document_-_SUI_Notification_201112192847.pdf</p>
4.	GQ1 and GQ2	<p>Staffing levels have been identified by the establishment as lower than it would prefer. To allow staff to have designated time for attendance at training and to spend on governance and quality matters, the establishment is encouraged to continue its recruiting efforts.</p>
5.	GQ5	<p>Several audits were conducted. On one occasion an anomaly was found during the audit trail of tissue samples stored in the research tissue bank. Thirteen blocks were recorded in the mortuary; however, 23 physical samples were present in the tissue bank and entered on the tissue bank's LIMS. This tissue was from an historic case and the establishment has already implemented an improved tracking procedure in the mortuary. As identified by the Lead for the Tissue Bank, the establishment should continue with its on-going audits to identify such discrepancies.</p>

No.	Standard	Advice
6.	GQ7	While the establishment has completed a number of risk assessments, the risk assessments reviewed, mostly related to health and safety matters. The DI may wish to consider conducting more risk assessments based on risk to traceability.

Concluding comments

The establishment's premises are well designed and there is good communication in place, with biannual meetings between the mortuary and the Coroner's office, and meetings between mortuary, bereavement and nursing staff. Good governance systems are in place to easily track information and deliver a strong service (e.g. taking a wide range of details and backing up data). These systems have been enhanced since the last inspection to improve quality control over procedures, for example, use of Q-Pulse for document control and implementation of audits to detect and address problem areas.

There are a number of areas of practice that could be improved, including one minor shortfall. The HTA has given advice to the Designated Individual with respect to consent documentation and governance and quality systems.

The HTA requires that the Designated Individual addresses the shortfalls by submitting a completed corrective and preventive action (CAPA) plan within 14 days of receipt of the final report (refer to Appendix 2 for recommended timeframes within which to complete actions). The HTA will then inform the establishment of the evidence required to demonstrate that the actions agreed in the plan have been completed.

The HTA has assessed the establishment as suitable to be licensed for the activities specified subject to corrective and preventive actions being implemented to meet the shortfall identified during the inspection.

Report sent to DI for factual accuracy: 18 October 2012

Report returned from DI: 1 November 2012

Final report issued: 5 November 2012

Completion of corrective and preventative actions (CAPA) plan

Based on information provided, the HTA is satisfied that the establishment has completed the agreed actions in the CAPA plan and in doing so has taken sufficient action to correct all shortfalls addressed in the Inspection Report.

Date: 21 January 2013

Appendix 1: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment have been excluded.

Consent standards
C1 Consent is obtained in accordance with the requirements of the Human Tissue Act 2004 (HT Act) and as set out in the code of practice
<ul style="list-style-type: none">• There is a documented policy which governs consent for post-mortem examination and the retention of tissue and reflects the requirements of the HT Act and the latest version of the HTA Code of Practice on consent.• There is a documented SOP detailing the consent process (including who is able to take consent, what training they must receive, and what information must be provided to those giving consent for post-mortem examination).• There is written information about the consent process (provided to those giving consent), which reflects the requirements of the HT Act and the latest version of the HTA Code of Practice on consent.
C2 Information about the consent process is provided and in a variety of formats
<ul style="list-style-type: none">• Relatives are given an opportunity to ask questions.• Relatives are given an opportunity to change their minds and it is made clear who should be contacted in this event.• Information contains clear guidance on options for how tissue may be handled after the post-mortem examination (repatriated with the body, returned to the family for burial/cremation, disposed of or stored for future use).• Where consent is sought for tissue to be retained for future use, information is provided about the potential uses in order to ensure that informed consent is obtained.• Information on the consent process is available in different languages and formats, or there is access to interpreters/translators.
C3 Staff involved in seeking consent receive training and support in the implications and essential requirements of taking consent
<ul style="list-style-type: none">• There is a training programme for taking consent for post-mortem examination and tissue retention which addresses the requirements of the HT Act and HTA code of practice on consent.• Refresher training is available (e.g. annually).• Attendance at consent training is documented.• If untrained staff are involved in consent taking, they are always accompanied by a trained individual.

Governance and quality system standards

GQ1 All aspects of the establishments work are supported by ratified documented policies and procedures as part of the overall governance process

- Documented policies and SOPs cover all mortuary/laboratory procedures relevant to the licensed activity. These may include:
 - post-mortem examination, including the responsibilities of the APTs and Pathologists (e.g. evisceration) and management of high risk cases
 - record keeping
 - receipt and release of bodies, which reflect out of hours arrangements
 - lone working in the mortuary
 - transfer of bodies and tissue (including blocks and slides) to other establishments or off site
 - ensuring that tissue is handled in line with documented wishes of the relatives
 - disposal of tissue (including blocks and slides)
- (Note that individual SOPs for each activity are not required. Some SOPs will cover more than one activity.)*
- Policies and procedures are regularly reviewed (for example, every 1-3 years).
 - There is a system for recording that staff have read and understood the latest versions of these documents.
 - Deviations from documented SOPs are recorded and monitored.

GQ2 There is a documented system of quality management and audit

- There is a quality manual which includes mortuary activities.
- Policies and SOPs are version controlled (and only the latest versions available for use).
- There is a schedule for audits to be carried out (which may include vertical and/or horizontal audits).
- Audits include compliance with documented procedures, records (for completeness) and traceability.
- Audit findings document who is responsible for follow up actions and the timeframe for completing those actions.
- Regular audits of tissue being stored at the establishment ensure that staff are fully aware what material is held and why.
- There is a complaints system in place.

GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills

- Staff are appropriately trained/qualified or supervised.

- Staff have annual appraisals.
- Staff are given opportunities to attend training courses, either internally or externally.
- Attendance by staff at training events is recorded.
- There is a documented training programme for new mortuary staff (e.g. competency checklist).

GQ4 There is a systematic and planned approach to the management of records

- There is a system for managing records which includes which records must be maintained, how they are backed up, where records are kept, how long each type of record is retained and who has access to each type of record.
- There are documented SOPs for record management.

GQ6 A coding and records system facilitates traceability of bodies, body parts, tissues and cells, ensuring a robust audit trail

- Bodies are tagged/labelled upon arrival at the mortuary.
- There is a system to track each body from admission to the mortuary to release for burial or cremation (e.g. mortuary register, patient file, transport records).
- Organs or tissue taken during post mortem examination are fully traceable, including blocks and slides. The traceability system ensures that the following details are recorded:
 - material sent for analysis on or off-site, including confirmation of arrival
 - receipt upon return to the laboratory or mortuary
 - number of blocks and slides made
 - repatriation with a body
 - return for burial or cremation
 - disposal or retention for future use.
- Multiple identifiers used, including at least one unique identifier (e.g. post mortem number, name, dates of birth/death, etc) to identify bodies and tissue.

GQ7 There are systems to ensure that all adverse events, reactions and / or incidents are investigated promptly

- Staff are trained in how to use the incident reporting system.
- Staff know how to identify incidents and near-misses which must be reported, including those that must be reported to the HTA
- The incident reporting system clearly outline responsibilities for reporting, investigating and follow up for incidents.
- The incident reporting system ensures that follow up actions are identified (i.e. corrective and preventive actions) and completed.
- Information about incidents is shared with all staff (including the reporter) to avoid repeat errors.

GQ8 Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately

- All procedures related to the licensed activities (as outlined in standard GQ1) are risk assessed.
- Risk assessments include risks associated with non-compliance with HTA standards as well as health and safety risks.
- Risk assessments are reviewed regularly (along with SOPs), for example every 1-3 years.
- Risk assessments include how to mitigate the identified risks; this includes actions that need to be taken, who is responsible for each action, deadlines for completing actions and confirmation that actions have been completed.

Premises, facilities and equipment standards

PFE1 The premises are fit for purpose

- There is sufficient space for the activities to be carried out.
- Refrigerated storage units are in good working condition and well maintained.
- Surfaces are made of non-porous materials.
- The premises are in reasonable condition (structure and cleanliness of floors, walls, entranceways).
- The premises are secure (e.g. there is controlled access to bodies, tissue, equipment and records).

PFE 2 Environmental controls are in place to avoid potential contamination

- There is clear separation of clean, transitional and dirty zones (e.g. doors, floor markings, signs).
- There is appropriate PPE available and routinely worn by staff.
- There is adequate critical equipment and/or PPE available for high risk post mortems.
- There are documented cleaning and decontamination procedures.
- There are documented cleaning schedule and records of cleaning and decontamination.

PFE3 There are appropriate facilities for the storage of bodies, body parts, tissues and cells, consumables and records.

- There is sufficient capacity for storage of bodies, organs and tissues.
- Temperatures of fridges and freezers are monitored on a regular basis.
- There are documented contingency plans in place should there be a power failure, or overflow.
- Bodies are shrouded whilst in storage.

- There is separate storage for infants and babies. If not, special measures are taken for the bodies of infants and babies.

PFE 4 Systems are in place to protect the quality and integrity of bodies, body parts, tissues and cells during transport and delivery to a destination

- There are documented procedures for transportation of bodies and tissue anywhere outside the mortuary (e.g. lab, other establishment), including record-keeping requirements.
- There are written agreements in place with any external parties (e.g. undertaker, or courier) who transport bodies and/or tissue behalf of the establishment (laboratory or mortuary).

(Note that coroners usually have their own agreements with external parties for transportation bodies and tissue; however, documentation for traceability purposes must still be maintained by the establishment for these cases.)

PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored

- Items of equipment in the mortuary are in a good condition and appropriate for use:
 - fridges / Freezers
 - hydraulic trolleys
 - post mortem tables
 - hoists
 - saws (manual and/or oscillating)
 - PPE for high risk cases (e.g. respirators)
- The use of porous materials is kept to a minimum and has been risk assessed
- Maintenance/service records are kept for equipment, including fridges/freezers, trolleys, post mortem tables (if downdraught) and post mortem suite ventilation.

(Note: These records may be held by the mortuary or centrally by the Trust, e.g. Estates Department.)

Disposal Standards

D1 There is a clear and sensitive policy for disposing of human organs and tissue

- There is a documented Trust or mortuary/laboratory policy for the disposal of human tissue, which reflects the requirements of the HTA code of practice on disposal.
- There are documented procedures for disposal of human tissue, including blocks and slides.

D2 The reason for disposal and the methods used are carefully documented

- There are systems in place that ensure tissue is disposed of in accordance with the documented wishes of the deceased person's family.
- Disposal records include the date, method and reason for disposal.
- Tissue is disposed of in a timely fashion.

(Note: this means that tissue is disposed of as soon as reasonably possible once it is no longer needed, e.g. when the coroner's or police authority ends or consented post-mortem examination is complete.)

Appendix 2: Classification of the level of shortfall

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the HT Act or associated Directions.

1. Critical shortfall:

A shortfall which poses a significant risk to human safety and/or dignity or is a breach of the Human Tissue Act 2004 (HT Act) or associated Directions

or

A combination of several major shortfalls, none of which is critical on its own, but which together could constitute a critical shortfall and should be explained and reported as such.

A critical shortfall may result in one or more of the following:

- (1) A notice of proposal being issued to revoke the licence
- (2) Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- (3) A notice of suspension of licensable activities
- (4) Additional conditions being proposed
- (5) Directions being issued requiring specific action to be taken straightaway

2. Major shortfall:

A non-critical shortfall that:

- poses a risk to human safety and/or dignity, or
- indicates a failure to carry out satisfactory procedures, or

- indicates a breach of the relevant CoPs, the HT Act and other relevant professional and statutory guidelines, or
- has the potential to become a critical shortfall unless addressed

or

A combination of several minor shortfalls, none of which is major on its own, but which, together, could constitute a major shortfall and should be explained and reported as such.

In response to a major shortfall, an establishment is expected to implement corrective and preventive actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

3. Minor shortfall:

A shortfall which cannot be classified as either critical or major, but which indicates a departure from expected standards.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based or site visit.

In response to a minor shortfall, an establishment is expected to implement corrective and preventive actions within 3-4 months of the issue of the final inspection report.

Follow up actions

A template corrective and preventive action plan will be sent as a separate Word document with both the draft and final inspection report. You must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventive action plan. This may include a combination of

- a follow-up site-visit inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next desk-based or site-visit inspection.

After an assessment of your proposed action plan you will be notified of the follow-up approach the HTA will take.