

Inspection report on compliance with HTA licensing standards
Inspection dates: **23 February 2023**



Royal Victoria Hospital
HTA licensing number 70000

Licensed under the Human Tissue (Quality and Safety for Human Application) Regulations 2007 (as amended)

Licensable activities carried out by the establishment

‘E’ = Establishment is licensed to carry out this activity and is currently carrying it out.

Site	Procurement	Processing	Testing	Storage	Distribution	Import	Export
Royal Victoria Hospital						E	

Tissue types authorised for licensed activities

Authorised = Establishment is authorised to carry out this activity and is currently carrying it out.

Tissue Category; Tissue Type	Procurement	Processing	Testing	Storage	Distribution	Import	Export
Membrane, Amniotic; Amniotic Membrane						Authorised	
Membrane, Pericardium; Pericardium						Authorised	
Ocular, Cornea; Cornea						Authorised	
Ocular, Sclera; Sclera						Authorised	

Summary of inspection findings

The HTA found the Designated Individual (DI) and the Licence Holder (LH) to be suitable in accordance with the requirements of the legislation.

Although the HTA found that Royal Victoria Hospital (the establishment) had met the majority of the HTA's standards that were assessed during the inspection, one minor shortfall was found against standards for Governance and Quality.

The HTA has assessed the establishment as suitable to be licensed for the activities specified, subject to corrective and preventative actions being implemented to meet the shortfall identified during the inspection.

Compliance with HTA standards

Minor Shortfalls

Standard	Inspection findings	Level of shortfall
GQ4 There is a systematic and planned approach to the management of records.		
e) The establishment keeps a register of the types and quantities of tissues and / or cells that are procured, tested, preserved, processed, stored and distributed or otherwise disposed of, and on the origin and destination of tissues and cells intended for human application.	The establishment ensures that tissue used in human application is traceable to end use through documenting the tissue identifiers in theatre records, patient records and the establishment's electronic database. However, during the inspection, an example was identified in which the traceability of a tissue product that was disposed of without being used in patient treatment had not been captured in the establishment's records.	Minor

Advice

The HTA advises the DI to consider the following to further improve practice:

Number	Standard	Advice
1.	GQ1h	The DI is advised to expand establishment procedures to fully capture the steps that staff described would be taken in the event that an issue was identified at any point during the tissue receipt process, including the segregation of any affected tissue from tissue available for human application.

2.	GQ4c	The DI is advised to remind staff to avoid overwriting incorrect manual record entries. Errors should be amended such that the original information and the corrected information can be clearly seen.
3.	GQ4e	<p>When cellular material is received at the ward, establishment staff book in the delivery using information provided with the transport container. The container remains sealed until the tissue is transported to theatre for use in human application, at which point detailed traceability information can be seen and recorded. The establishment is advised to capture the pack number recorded on the outer container in records of traceability held at the ward as this may help to provide an audit trail for the tissue despite the details from inside the container being unavailable.</p> <p>The DI is further advised to ensure that electronic tissue traceability records are updated promptly and in full by all teams working under the licence, for example, through issuing each team with their own controlled electronic tissue register and updating documented procedures accordingly.</p>

Background

Royal Victoria Hospital Corneal Service, EENT Theatres (the establishment) is licensed for the import of a range of cellular and acellular human tissue products from HTA-licensed suppliers based in Great Britain (GB). Imported tissue products containing intact cells are not stored on the premises for more than 48 hours.

The establishment has been licensed by the HTA since January 2021. This was the establishment's first inspection, which focused on standards relating to traceability, record retention and agreements with the establishment's HTA-licensed suppliers.

Shortly after the establishment's licence was first issued, the import authorisation was expanded to add a new supplier of tissue used in ocular procedures. In 2022, the establishment reported a case in which tissue was imported from an establishment in GB outside of the establishment's importing tissue establishment licence certificate (ITELC), and which went on to be used in human application. Records relating to the case and the corrective and preventative measures taken by the establishment were reviewed during the inspection.

Description of inspection activities undertaken

The HTA's regulatory requirements are set out in Appendix 1. The following areas were covered during the inspection:

Review of governance documentation

The inspection included a review of procedures relating to tissue imported under the licence, traceability records, agreements with the establishment's suppliers, and staff training records.

Visual inspection

The inspection included a visit to areas within the premises where cellular tissue products are initially received and booked in, and areas where these tissues are subsequently transported and booked in to theatre records shortly before human application. The visit also included a review of the area where acellular tissues are booked in and stored before use. The security of received tissue and associated electronic and paper records were reviewed.

Audit of records

The inspection included a review of traceability records relating to three corneal tissue imports and three amniotic membrane imports.

Meetings with establishment staff

Meetings with the establishment's DI, who is a Consultant Ophthalmologist, staff working in quality and governance roles, and staff undertaking the ordering, receipt and booking-in of tissue imported under the licence were also held.

Report sent to DI for factual accuracy: 14 April 2023

Report returned from DI: 28 April 2023

Final report issued: 28 April 2023

Completion of corrective and preventative actions (CAPA) plan

Based on information provided, the HTA is satisfied that the establishment has completed the agreed actions in the CAPA plan and in doing so has taken sufficient action to correct all shortfalls addressed in the Inspection Report.

Date: 10 February 2025

Appendix 1: The HTA's regulatory requirements

The HTA must assure itself that the DI, Licence Holder, premises and practices are suitable.

The statutory duties of the DI are set down in Section 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. The HTA inspects the establishments it licences against four groups of standards:

- consent
- governance and quality systems
- premises facilities and equipment
- disposal.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that a standard is not met, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is given to the DI.

Reports of HTA inspections carried out from 1 November 2010 are published on the HTA's website.

Appendix 2: Classification of the level of shortfall

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the Human Tissue Act 2004, Human Tissue (Quality and Safety for Human Application) Regulations 2007 (as amended), or associated Directions.

1. Critical shortfall:

A shortfall which poses a significant direct risk of causing harm to a recipient patient or to a living donor,

or

A number of 'major' shortfalls, none of which is critical on its own, but viewed cumulatively represent a systemic failure and therefore are considered 'critical'.

A critical shortfall may result in one or more of the following:

- A notice of proposal being issued to revoke the licence
- Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- A notice of suspension of licensable activities
- Additional conditions being proposed
- Directions being issued requiring specific action to be taken straightaway

2. Major shortfall:

A non-critical shortfall.

A shortfall in the carrying out of licensable activities which poses an indirect risk to the safety of a donor or a recipient

or

A shortfall in the establishment's quality and safety procedures which poses an indirect risk to the safety of a donor or a recipient;

or

A shortfall which indicates a major deviation from the Human Tissue (Quality and Safety for Human Application) Regulations 2007 (as amended) or the HTA Directions;

or

A shortfall which indicates a failure to carry out satisfactory procedures for the release of tissues and cells or a failure on the part of the designated individual to fulfil his or her legal duties;

or

A combination of several 'minor' shortfalls, none of which is major on its own, but which, viewed cumulatively, could constitute a major shortfall by adversely affecting the quality and safety of the tissues and cells.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

3. Minor shortfall:

A shortfall which cannot be classified as either critical or major and, which can be addressed by further development by the establishment.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by

the HTA either by desk-based review or at the time of the next on-site inspection.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

Follow up actions

A template corrective and preventative action plan will be sent as a separate Word document with the final inspection report.

Establishments must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next routine inspection.

After an assessment of the proposed action plan establishments will be notified of the follow-up approach the HTA will take.

Appendix 3: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment have been excluded.

Human Tissue (Quality and Safety for Human Application) Regulations 2007 Standards (as amended)

Governance and Quality

Standard
GQ1 All aspects of the establishment's work are supported by ratified documented policies and procedures as part of the overall governance process.
a) There is an organisational chart clearly defining the lines of accountability and reporting relationships.
b) There are procedures for all licensable activities that ensure integrity of tissue and / or cells and minimise the risk of contamination.
c) There are regular governance meetings, for example health and safety, risk management and clinical governance committees, which are recorded by agendas and minutes.
d) There is a document control system to ensure that changes to documents are reviewed, approved, dated and documented by an authorised person and only current documents are in use.
g) There are procedures to ensure that an authorised person verifies that tissues and / or cells received by the establishment meet required specifications.
h) There are procedures for the management and quarantine of non-conforming consignments or those with incomplete test results, to ensure no risk of cross contamination.

i) There are procedures to ensure tissues and / or cells are not released from quarantine until verification has been completed and recorded.
n) The establishment ensures imports from third countries meet the standards of quality and safety set out in Directions 001/2021.
o) There is a complaints system in place.
p) There are written agreements with third parties whenever an activity takes place that has the potential to influence the quality and safety of human tissues and / or cells.
q) There is a record of agreements established with third parties.
r) Third party agreements specify the responsibilities of the third party and meet the requirements set out in Directions 001/2021.
s) Third party agreements specify that the third party will inform the establishment in the event of a serious adverse reaction or event.
GQ2 There is a documented system of quality management and audit.
a) There is a quality management system which ensures continuous and systematic improvement.
b) There is an internal audit system for all licensable activities.
c) An audit is conducted in an independent manner at least every two years to verify compliance with protocols and HTA standards, and any findings and corrective actions are documented.
GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills.
a) There are clearly documented job descriptions for all staff.
b) There are orientation and induction programmes for new staff.

c) There are continuous professional development (CPD) plans for staff and attendance at training is recorded.
d) There is annual documented mandatory training (e.g. health and safety and fire).
e) Personnel are trained in all tasks relevant to their work and their competence is recorded.
f) There is a documented training programme that ensures that staff have adequate knowledge of the scientific and ethical principles relevant to their work, and the regulatory context.
g) There is a documented training programme that ensures that staff understand the organisational structure and the quality systems used within the establishment.
h) There is a system of staff appraisal.
i) Where appropriate, staff are registered with a professional or statutory body.
j) There are training and reference manuals available.
k) The establishment is sufficiently staffed to carry out its activities.
GQ4 There is a systematic and planned approach to the management of records.
a) There are procedures for the creation, identification, maintenance, access, amendment, retention and destruction of records.
b) There is a system for the regular audit of records and their content to check for completeness, legibility and accuracy and to resolve any discrepancies found.
c) Written records are legible and indelible. Records kept in other formats such as computerised records are stored on a validated system.
d) There is a system for back-up / recovery in the event of loss of computerised records.

e) The establishment keeps a register of the types and quantities of tissues and / or cells that are procured, tested, preserved, processed, stored and distributed or otherwise disposed of, and on the origin and destination of tissues and cells intended for human application.
g) There is a system to ensure records are secure and that donor confidentiality is maintained in accordance with Directions 001/2021.
h) Raw data which are critical to the safety and quality of tissues and cells are kept for 10 years after the use, expiry date or disposal of tissues and / or cells.
i) The minimum data to ensure traceability from donor to recipient as required by Directions 001/2021 are kept for 30 years after the use, expiry or disposal of tissues and / or cells.
l) The establishment records the acceptance or rejection of tissue and / or cells that it receives and in the case of rejection why this rejection occurred.
m) In the event of termination of activities of the establishment a contingency plan to ensure records of traceability are maintained for 10 or 30 years as required.
GQ6 A coding and records system facilitates traceability of tissues and / or cells, ensuring a robust audit trail.
b) An audit trail is maintained, which includes details of when the tissues and / or cells were acquired and from where, the uses to which the tissues and / or cells were put, when the tissues and / or cells were transferred elsewhere and to whom.
c) The establishment has procedures to ensure that tissues and / or cells imported, procured, processed, stored, distributed and exported are traceable from donor to recipient and vice versa.
d) The requirements of the Single European Code are adhered to as set out in Directions 001/2021 (Northern Ireland only).

GQ7 There are systems to ensure that all adverse events, reactions and/or incidents are investigated promptly.
a) There are procedures for the identification, reporting, investigation and recording of adverse events and reactions, including documentation of any corrective or preventative actions.
b) There is a system to receive and distribute national and local information (e.g. HTA regulatory alerts) and notify the HTA and other establishments as necessary of serious adverse events or reactions.
c) The responsibilities of personnel investigating adverse events and reactions are clearly defined.
d) There are procedures to identify and decide the fate of tissues and / or cells affected by an adverse event, reaction or deviation from the required quality and safety standards.
GQ8 Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately.
a) There are documented risk assessments for all practices and processes.
b) Risk assessments are reviewed regularly, as a minimum annually or when any changes are made that may affect the quality and safety of tissues and cells.
c) Staff can access risk assessments and are made aware of local hazards at training.
d) A documented risk assessment is carried out to decide the fate of any tissue and / or cells stored prior to the introduction of a new donor selection criteria or a new processing step, which enhances the quality and safety of tissue and / or cells.

Premises, Facilities and Equipment

Standard
PFE1 The premises are fit for purpose.
a) A risk assessment has been carried out of the premises to ensure that they are fit for purpose.
b) There are procedures to review and maintain the safety of staff, visitors and patients.
c) The premises have sufficient space for procedures to be carried out safely and efficiently.
e) There are procedures to ensure that the premises are secure, and confidentiality is maintained.
f) There is access to a nominated, registered medical practitioner and / or a scientific advisor to provide advice and oversee the establishment's medical and scientific activities.
PFE2 Environmental controls are in place to avoid potential contamination.
a) Tissues and / or cells stored in quarantine are stored separately from tissue and / or cells that have been released from quarantine.
c) There are procedures for cleaning and decontamination.
d) Staff are provided with appropriate protective clothing and equipment that minimise the risk of contamination of tissue and / or cells and the risk of infection to themselves.
PFE3 There are appropriate facilities for the storage of tissues and / or cells, consumables and records.
a) Tissues, cells, consumables and records are stored in secure environments and precautions are taken to minimise risk of damage, theft or contamination.
b) There are systems to deal with emergencies on a 24-hour basis.

d) There is a documented, specified maximum storage period for tissues and / or cells.
PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored.
d) New and repaired equipment is validated before use and this is documented.
e) There are documented agreements with maintenance companies.
f) Cleaning, disinfection and sanitation of critical equipment is performed regularly, and this is recorded.
h) Users have access to instructions for equipment and receive training in the use of equipment and maintenance where appropriate.
i) Staff are aware of how to report an equipment problem.
j) For each critical process, the materials, equipment and personnel are identified and documented.
k) There are contingency plans for equipment failure.

Disposal

Standard
D1 There is a clear and sensitive policy for disposing of tissues and / or cells.
a) The disposal policy complies with HTA's Codes of Practice.
b) The disposal procedure complies with Health and Safety recommendations.
c) There is a documented procedure on disposal which ensures that there is no cross contamination.

D2 The reasons for disposal and the methods used are carefully documented.

a) There is a procedure for tracking the disposal of tissue and / or cells that details the method and reason for disposal.

b) Disposal arrangements reflect (where applicable) the consent given for disposal.